

# CATALOGUE D'AMPOULES
# BULBS CATALOG

*2022*

# BULB REFERENCE / RÉFÉRENCES D'AMPOULES

## INCANDESCENT & HALOGEN / INCANDESCENTE & HALOGÈNE

## COMPACT FLUO / FLUOCOMPACT

### GENERAL HOUSEHOLD


A-TYPE


CFL


A-TYPE CFL

### FLOOD LIGHT


Par-type


R-type


BR-type


R-type


BR-type

### DECORATIVE


B-type




F-type


B-type

### VANITY


G-type


G-type

### HALOGEN


MR16


MR16
GU10 base


culot GU10 base

## SPECIALTY / SPÉCIALITÉ


T-type





S-type


C-type


T3


JC-type
culot G9 base


JC-type
culot bi-pin base


circline


## BASES / CULOT


candelabra (E12)


intermediate (E17)


medium (E26)


GU10


GU24





**Jessar Industries Inc.** is a family business founded in 1996. Through many years of experience in the import and distribution of household articles in the retail stores, Jessar refines its product ranges to specialize not only in household products but also in electrical products .

In just a few years, Jessar knew how to differentiate itself in its category of electrical products by creating its own Xtricity brand. In analyzing the needs of its clientele, Jessar mounted a comprehensive range of products for light bulbs, combining a superior quality as well as following the latest norms of governmental standards in order to be at the cutting edge of technology.

With its dedication to quality and customer service, Jessar distributes today its products across Canada in a variety of stores, including retail stores as well as the clients with national accounts.

Jessar hopes with the support of its loyal customers to continue being a leader in its field.

**Les Industries Jessar Inc.** est une entreprise familiale fondée en 1996. À travers plusieurs années d'expérience dans l'importation et la distribution d'articles domestiques dans les commerces de détail, Jessar épure ses gammes de produits pour se spécialiser dans les produits électriques et les produits pour la maison.

En quelques années seulement, Jessar su comment se démarquer dans sa catégorie de produits électriques de marque Xtricity. En analysant les besoins de sa clientèle, Jessar monte une gamme de produits complète pour les ampoules, combinant une qualité supérieure ainsi que le respect des plus récentes normes gouvernementales afin d'être à la fine pointe de la technologie.

Avec son dévouement pour la qualité et son service à la clientèle, Jessar distribue aujourd'hui ses produits à travers le Canada dans une variété de magasins, incluant les magasins à grandes surface et les clients de comptes nationaux.

Elle désire, avec l'appui de sa fidèle clientèle, continuer à être un leader dans son domaine.

# LED / DEL



LED BULBS / AMPOULES DEL

## TYPE A

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40019<br>LED / DEL<br>Type A19 - 1PK | 6W | 450 lm | 3000K | 120V | Non dim. | E26 | 6 | 48 | 621139400198 |
|  | 1-40020<br>LED / DEL<br>Type A19 - 1PK | 6W | 450 lm | 5000K | 120V | Non dim. | E26 | 6 | 48 | 621139400204 |
|  | 1-40022<br>LED / DEL<br>Type A19 - 1CD | 10W | 720 lm | 5000K | 120V | Non dim. | E26 | 6 | 48 | 621139400228 |



## LED BULBS / AMPOULES DEL



| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40082<br>LED / DEL<br>Type A19 - 1CD | 9W | 800 lm | 3000K | 120V | Non dim. | E26 | 6 | 48 | 621139400822 |
|  | 1-40001<br>LED / DEL<br>Type A19 - 1PK | 9W | 800 lm | 3000K | 120V | Non dim. | E26 | 6 | 48 | 621139400013 |
|  | 1-40004<br>LED / DEL<br>Type A19 - 1PK | 9W | 800 lm | 5000K | 120V | Non dim. | E26 | 6 | 48 | 621139400044 |
|  | 1-40002<br>LED / DEL<br>Type A19 - 2PK | 9W | 800 lm | 3000K | 120V | Non dim. | E26 | 0 | 12 | 621139400020 |
|  | 1-40005<br>LED / DEL<br>Type A19 - 2PK | 9W | 800 lm | 5000K | 120V | Non dim. | E26 | 0 | 12 | 621139400051 |
|  | 1-40003<br>LED / DEL<br>Type A19 - 6PK | 9W | 800 lm | 3000K | 120V | Non dim. | E26 | 0 | 6 | 621139400037 |
|  | 1-40006<br>LED / DEL<br>Type A19 - 6PK | 9W | 800 lm | 5000K | 120V | Non dim. | E26 | 0 | 6 | 621139400068 |



## LED BULBS / AMPOULES DEL

### TYPE A

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40007<br>LED / DEL<br>Type A19 - 1PK | 9.5W | 800 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139400075 |
|  | 1-40010<br>LED / DEL<br>Type A19 - 1PK | 9.5W | 800 lm | 5000K | 120V | Dim. | E26 | 6 | 48 | 621139400105 |
|  | 1-40008<br>LED / DEL<br>Type A19 - 2PK | 9.5W | 800 lm | 3000K | 120V | Dim. | E26 | 0 | 12 | 621139400082 |
|  | 1-40011<br>LED / DEL<br>Type A19 - 2PK | 9.5W | 800 lm | 5000K | 120V | Dim. | E26 | 0 | 12 | 621139400112 |
|  | 1-40009<br>LED / DEL<br>Type A19 - 6PK | 9.5W | 800 lm | 3000K | 120V | Dim. | E26 | 0 | 6 | 621139400099 |
|  | 1-40012<br>LED / DEL<br>Type A19 - 6PK | 9.5W | 800 lm | 5000K | 120V | Dim. | E26 | 0 | 6 | 621139400129 |



## LED BULBS / AMPOULES DEL

### TYPE A

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50041<br>LED / DEL<br>Type A19 - 1PK<br>Omni-direc. | 17W | 1600 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139500416 | ENERGY STAR |
|  | 1-50042<br>LED / DEL<br>Type A19 - 1PK<br>Omni-direc. | 17W | 1600 lm | 5000K | 120V | Dim. | E26 | 6 | 48 | 621139500423 | ENERGY STAR |
|  | 1-50091<br>LED / DEL<br>Type A19 - 6PK<br>Omni-direc. | 17W | 1600 lm | 3000K | 120V | Dim. | E26 | 0 | 6 | 621139500911 | ENERGY STAR |
|  | 1-50092<br>LED / DEL<br>Type A19 - 6PK<br>Omni-direc. | 17W | 1600 lm | 5000K | 120V | Dim. | E26 | 0 | 6 | 621139500928 | ENERGY STAR |



## LED BULBS / AMPOULES DEL

### TYPE A

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50017<br>LED / DEL<br>Type A19 - 1PK | 10W | 800 lm | 3000K | 12V | Non dim. | E26 | 6 | 48 | 621139500171 |
|  | 1-50018<br>LED / DEL<br>Type A19 - 1PK | 10W | 800 lm | 3000K | 120V | Dim. | GU24 | 6 | 48 | 621139500188 |
|  | 1-40067<br>LED / DEL<br>Type A15 - 1CD<br>Fan / Ventilateur | 7W | 500 lm | 5000K | 120V | Dim. | E26 | 6 | 48 | 621139400679 |
|  | 1-40055<br>LED / DEL<br>Type A15 - 2PK | 7W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 120 | 621139400556 |
|  | 1-40056<br>LED / DEL<br>Type A15 - 2PK | 7W | 500 lm | 5000K | 120V | Dim. | E26 | 6 | 120 | 621139400563 |



## FILAMENT

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40091<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 1CD | 9W | 800 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139400914 | ENERGY STAR |
|  | 1-40092<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 1CD | 9W | 800 lm | 5000K | 120V | Dim. | E26 | 6 | 48 | 621139400921 | ENERGY STAR |
|  | 1-40093<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 2PK | 9W | 800 lm | 3000K | 120V | Dim. | E26 | 12 | 48 | 621139400938 | ENERGY STAR |
|  | 1-40094<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 2PK | 9W | 800 lm | 5000K | 120V | Dim. | E26 | 12 | 48 | 621139400945 | ENERGY STAR |
|  | 1-40095<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 6PK | 9W | 800 lm | 3000K | 120V | Dim. | E26 | 0 | 12 | 621139400952 | ENERGY STAR |
|  | 1-40096<br>LED / DEL - Filament<br>Clear / Clair<br>Type A19 - 6PK | 9W | 800 lm | 5000K | 120V | Dim. | E26 | 0 | 12 | 621139400969 | ENERGY STAR |
|  | 1-40097<br>LED / DEL - Filament<br>Clear / Clair<br>Type S - 1CD | 6.2W | 700 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139400976 | |
|  | 1-40049<br>LED / DEL - Filament<br>Clear / Clair<br>Type S - 4PK | 6.2W | 700 lm | 3000K | 120V | Dim. | E26 | 0 | 6 | 621139400495 | |





## FILAMENT

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40053<br>LED / DEL - Filament<br>Clear / Clair<br>Type S14 - 2CD | 3W | 300 lm | 3000K | 120V | Dim. | E26 | 6 | 60 | 621139400532 |
|  | 1-40066<br>LED / DEL - Filament<br>White / Blanc<br>Type G25 - 2PK | 5W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 36 | 621139400662 |
|  | 1-40044<br>LED / DEL - Filament<br>Clear / Clair<br>Type G25 - 2PK | 5W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 36 | 621139400440 |
|  | 1-50049<br>LED / DEL - Filament<br>Clear / Clair<br>Type G16.5 - 1CD | 5.5W | 500 lm | 3000K | 120V | Dim. | E12 | 6 | 48 | 621139500492 |
|  | 1-50056<br>LED / DEL - Filament<br>Clear / Clair<br>Type T10 - 1CD | 4.5W | 400 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139500560 |



## FILAMENT

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50025<br>LED / DEL - Filament<br>Frosted / Givrée<br>Type C - 1CD | 6W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 60 | 621139500256 | |
|  | 1-40031<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 2CD | 5.5W | 500 lm | 3000K | 120V | Dim. | E12 | 6 | 24 | 621139400310 | ENERGY STAR |
|  | 1-40032<br>LED / DEL - Filament<br>Frosted / Givrée<br>Type C - 2CD | 5.5W | 500 lm | 3000K | 120V | Dim. | E12 | 6 | 24 | 621139400327 | ENERGY STAR |
|  | 1-40033<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 2CD | 5.5W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 24 | 621139400334 | ENERGY STAR |
|  | 1-40036<br>LED / DEL - Filament<br>Frosted / Givrée<br>Type C - 2CD | 5.5W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 24 | 621139400365 | ENERGY STAR |
|  | 1-40075<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 2CD | 4.5W | 500 lm | 3000K | 120V | Dim. | E14 | 6 | 24 | 621139400754 | |
|  | 1-40045<br>LED / DEL - Filament<br>Clear / Clair<br>Type C - 4CD | 3.5W | 300 lm | 3000K | 120V | Dim. | E12 | 6 | 24 | 621139400457 | |





## HIGH LUMENS / LUMEN ÉLEVÉ

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50095<br>LED / DEL<br>Type A21 - 2PK | 28W | 2605 lm | 3000K | 120V | Dim. | E26 | 6 | 24 | 621139500959 | ENERGY STAR |
|  | 1-50096<br>LED / DEL<br>Type A21 - 2PK | 28W | 2605 lm | 5000K | 120V | Dim. | E26 | 6 | 24 | 621139500966 | ENERGY STAR |
|  | 1-50097<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur | 55W | 5000 lm | 3000K | 120V | Non dim. | E26 | 4 | 24 | 621139500973 | |
|  | 1-50098<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur | 55W | 5000 lm | 5000K | 120V | Non dim. | E26 | 4 | 24 | 621139500980 | |



## VINTAGE / À L'ANCIENNE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50015<br>LED / DEL - Filament Smoked / Fumée<br>Type C - 1CD | 3.5W | 250 lm | 2200K | 120V | Dim. | E12 | 6 | 60 | 621139500157 |
|  | 1-40018<br>LED / DEL - Filament Smoked / Fumée<br>Type C - 2CD | 5W | 350 lm | 2200K | 120V | Dim. | E26 | 6 | 60 | 621139400181 |
|  | 1-40046<br>LED / DEL - Filament Smoked / Fumée<br>Type C - 4CD | 3.5W | 250 lm | 2200K | 120V | Dim. | E12 | 6 | 36 | 621139400464 |
|  | 1-50019<br>LED / DEL - Filament Smoked / Fumée<br>Type A - 1CD | 4.5W | 450 lm | 2200K | 120V | Dim. | E26 | 6 | 48 | 621139500195 |
|  | 1-40017<br>LED / DEL - Filament Smoked / Fumée<br>Type G25 - 1PK | 5W | 350 lm | 2200K | 120V | Dim. | E26 | 6 | 36 | 621139400174 |
|  | 1-50021<br>LED / DEL - Filament Smoked / Fumée<br>Type G40 - 1PK | 5W | 500 lm | 2200K | 120V | Dim. | E26 | 4 | 24 | 621139500218 |
|  | 1-50074<br>LED / DEL - Filament Smoked / Fumée<br>Type G40 - 1PK | 7W | 280 lm | 2200K | 120V | Dim. | E26 | 4 | 24 | 621139500744 |







## VINTAGE / À L'ANCIENNE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60079<br>LED / DEL - Filament Smoked / Fumée<br>Type S - 1CD | 5W | 450 lm | 2200K | 120V | Dim. | E26 | 6 | 48 | 621139600796 |
|  | 1-40050<br>LED / DEL - Filament Smoked / Fumée<br>Type S - 4PK | 5W | 400 lm | 2200K | 120V | Dim. | E26 | 0 | 6 | 621139400501 |
|  | 1-40054<br>LED / DEL - Filament Smoked / Fumée<br>Type S14 - 2CD | 3W | 200 lm | 2200K | 120V | Dim. | E26 | 6 | 60 | 621139400549 |
|  | 1-40047<br>LED / DEL - Filament Smoked / Fumée<br>Type T30 - 1CD | 5W | 250 lm | 2200K | 120V | Dim. | E26 | 6 | 48 | 621139400471 |
|  | 1-40048<br>LED / DEL - Filament Smoked / Fumée<br>Type T30 - 1CD | 8W | 350 lm | 2200K | 120V | Dim. | E26 | 6 | 48 | 621139400488 |
|  | 1-50079<br>LED / DEL - Filament Smoked / Fumée<br>Type S - 1CD | 5W | 250 lm | 5000K | 120V | Dim. | E26 | 6 | 48 | 621139500799 |

## COLORED / COULEURS

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50004<br>LED / DEL - Type A19<br>Blue / Bleu - 1CD | 5W | N/A | N/A | 120V | Non dim. | E26 | 6 | 36 | 621139500041 |
|  | 1-50005<br>LED / DEL - Type A19<br>Red / Rouge - 1CD | 5W | N/A | N/A | 120V | Non dim. | E26 | 6 | 36 | 621139500058 |
|  | 1-50006<br>LED / DEL - Type A19<br>Green / Vert - 1CD | 5W | N/A | N/A | 120V | Non dim. | E26 | 6 | 36 | 621139500065 |
|  | 1-50007<br>LED / DEL - Type A19<br>Yellow / Jaune - 1CD | 5W | N/A | N/A | 120V | Non dim. | E26 | 6 | 36 | 621139500072 |
|  | 1-50027<br>LED / DEL - PAR38<br>Blue / Bleu - 1PK | 7W | N/A | N/A | 120V | Non dim. | E26 | 4 | 24 | 621139500270 |
|  | 1-50028<br>LED / DEL - PAR38<br>Red / Rouge - 1PK | 5W | N/A | N/A | 120V | Non dim. | E26 | 4 | 24 | 621139500287 |
|  | 1-50029<br>LED / DEL - PAR38<br>Green / Vert - 1PK | 7W | N/A | N/A | 120V | Non dim. | E26 | 4 | 24 | 621139500294 |
|  | 1-50047<br>LED / DEL - PAR38<br>Yellow / Jaune - 1PK | 7W | N/A | N/A | 120V | Non dim. | E26 | 4 | 24 | 621139500478 |





## TYPE PAR

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40064<br>LED / DEL<br>Type PAR16 - 2PK | 6W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139400648 | |
|  | 1-50008<br>LED / DEL<br>Type PAR20 - 1PK | 7W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139500089 | ENERGY STAR |
|  | 1-50009<br>LED / DEL<br>Type PAR20 - 1PK | 7W | 500 lm | 5000K | 120V | Dim. | E26 | 6 | 48 | 621139500096 | ENERGY STAR |
|  | 1-50035<br>LED / DEL<br>Type PAR20 - 2PK | 7W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 24 | 621139500355 | ENERGY STAR |
|  | 1-50036<br>LED / DEL<br>Type PAR20 - 2PK | 7W | 500 lm | 5000K | 120V | Dim. | E26 | 6 | 24 | 621139500362 | ENERGY STAR |
|  | 1-50010<br>LED / DEL<br>Type PAR30 - 1PK | 11W | 800 lm | 3000K | 120V | Dim. | E26 | 6 | 24 | 621139500102 | ENERGY STAR |
|  | 1-50011<br>LED / DEL<br>Type PAR30 - 1PK | 11W | 800 lm | 5000K | 120V | Dim. | E26 | 6 | 24 | 621139500119 | ENERGY STAR |



## TYPE PAR

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50012<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur | 18.5W | 1400 lm | 3000K | 120V | Dim. | E26 | 6 | 24 | 621139500126 | ENERGY STAR |
|  | 1-50013<br>LED / DEL<br>Type PAR38 - 1PK<br>Indoor / Outdoor<br>Intérieur / Extérieur | 18.5W | 1400 lm | 5000K | 120V | Dim. | E26 | 6 | 24 | 621139500133 | ENERGY STAR |



## MR11 / MR16 / GU10

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60099<br>LED / DEL<br>Type MR11 - 1CD | 3W | 220 lm | 3000K | 12V | Non dim. | GU4<br>Bi-pin | 6 | 60 | 621139600994 | |
|  | 1-50045<br>LED / DEL - COB<br>Type MR16 - 1CD | 7W | 500 lm | 3000K | 12V | Dim. | GU5.3<br>Bi-pin | 6 | 48 | 621139500454 | ENERGY STAR |





## MR11 / MR16 / GU10

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50046<br>LED / DEL - JDR<br>Type MR16 - 1CD | 7W | 500 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139500461 | ENERGY STAR |
|  | 1-40080<br>LED / DEL<br>Type GU10 - 1CD | 7W | 500 lm | 3000K | 120V | Dim. | GU10 | 6 | 48 | 621139400808 | |
|  | 1-40081<br>LED / DEL<br>Type GU10 - 1CD | 7W | 500 lm | 5000K | 120V | Dim. | GU10 | 6 | 48 | 621139400815 | |
|  | 1-40073<br>LED / DEL<br>Type GU10 - 1PK | 7W | 500 lm | 3000K | 120V | Dim. | GU10 | 10 | 100 | 621139400730 | |
|  | 1-40074<br>LED / DEL<br>Type GU10 - 1PK | 7W | 500 lm | 5000K | 120V | Dim. | GU10 | 10 | 100 | 621139400747 | |
|  | 1-40015<br>LED / DEL<br>Type GU10 - 4PK | 7W | 500 lm | 3000K | 120V | Dim. | GU10 | 12 | 36 | 621139400150 | |
|  | 1-40016<br>LED / DEL<br>Type GU10 - 4PK | 7W | 500 lm | 5000K | 120V | Dim. | GU10 | 12 | 36 | 621139400167 | |
|  | 1-50032<br>LED / DEL<br>Type GU10 - 4CD<br>Glass / Verre | 5W | 400 lm | 3000K | 120V | Dim. | GU10 | 6 | 36 | 621139500324 | |

## TYPE R / BR

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC | |
|---|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50048<br>LED / DEL<br>Type R14 - 1CD | 4.5W | 300 lm | 3000K | 120V | Dim. | E26 | 6 | 60 | 621139500485 | |
|  | 1-60098<br>LED / DEL<br>Type R16 - 1CD | 5.5W | 400 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139600987 | ENERGY STAR |
|  | 1-40026<br>LED / DEL<br>Type R16 - 1CD | 5.5W | 400 lm | 5000K | 120V | Dim. | E26 | 6 | 48 | 621139400266 | ENERGY STAR |
|  | 1-60088<br>LED / DEL<br>Type BR20 - 1PK | 6.5W | 460 lm | 3000K | 120V | Dim. | E26 | 6 | 48 | 621139600888 | ENERGY STAR |
|  | 1-60089<br>LED / DEL<br>Type BR30 - 1PK | 9.5W | 670 lm | 3000K | 120V | Dim. | E26 | 4 | 24 | 621139600895 | ENERGY STAR |
|  | 1-50040<br>LED / DEL<br>Type BR30 - 1PK | 9.5W | 670 lm | 5000K | 120V | Dim. | E26 | 4 | 24 | 621139500409 | ENERGY STAR |
|  | 1-50037<br>LED / DEL<br>Type BR30 - 4PK | 9.5W | 670 lm | 3000K | 120V | Dim. | E26 | 4 | 12 | 621139500379 | |
|  | 1-50082<br>LED / DEL<br>Type BR40 - 4PK | 9.5W | 670 lm | 5000K | 120V | Dim. | E26 | 4 | 12 | 621139500829 | ENERGY STAR |
|  | 1-40065<br>LED / DEL<br>Type BR40 - 1PK | 18W | 1500 lm | 3000K | 120V | Dim. | E26 | 4 | 12 | 621139400655 | |





## SPECIALTY / SPÉCIALITÉ

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40023<br>LED / DEL<br>Growing plant light<br>Ampoule de croissance<br>Type A - 1PK | 10W | N/A | N/A | 120V | Non dim. | E26 | 6 | 48 | 621139400235 |
|  | 1-40024<br>LED / DEL<br>Growing plant light<br>Ampoule de croissance<br>Type PAR38 - 1PK | 12W | N/A | N/A | 120V | Non dim. | E26 | 6 | 24 | 621139400242 |

Of all the colors contained inside the visible light spectrum, plants are most responsive to the energy contained inside red and blue wavelengths. Both types of energy play vital roles within plant photosynthesis processes where light energy is absorbed and converted into carbohydrate materials. These carbohydrate materials are then converted into food for the plant.

De toutes les couleurs contenues dans le spectre de lumière visibles, les plantes sont les plus sensibles à l'énergie contenue dans les longueurs d'onde rouges et bleues. Les deux types d'énergie jouent un rôle vital dans les processus de photosynthèse des plantes. Ces matières glucidiques sont ensuite transformées en nourriture pour la plante.



## SPECIALTY / SPÉCIALITÉ

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60075<br>LED / DEL<br>Type G4 - 1CD | 1.8W | 150 lm | 3000K | 12V | Non dim. | G4 | 6 | 60 | 621139600758 |
|  | 1-50064<br>LED / DEL<br>Type G9 - 1CD | 5W | 500 lm | 3000K | 120V | Dim. | G9 | 6 | 60 | 621139500645 |
|  | 1-50065<br>LED / DEL<br>Type G9 - 1CD | 5W | 500 lm | 6000K | 120V | Dim. | G9 | 6 | 60 | 621139500652 |
|  | 1-40051<br>LED / DEL<br>Type G9 - 4CD | 4.5W | 450 lm | 3000K | 120V | Dim. | G9 | 6 | 60 | 621139400518 |
|  | 1-40052<br>LED / DEL<br>Type G9 - 4CD | 4.5W | 450 lm | 6000K | 120V | Dim. | G9 | 6 | 60 | 621139400525 |







## SPECIALTY / SPÉCIALITÉ

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-40062<br>LED / DEL<br>R7S - 78 mm<br>Type J - 1CD | 8W | 800 lm | 5000K | 120V | Dim. | R7S | 6 | 60 | 621139400624 |
|  | 1-40063<br>LED / DEL<br>R7S - 118 mm<br>Type J - 1CD | 15W | 1500 lm | 5000K | 120V | Dim. | R7S | 6 | 60 | 621139400631 |
|  | 1-40025<br>LED / DEL<br>3 way / 3 intensités<br>Type A19 - 1PK | 9W | 800 lm | 5000K | 120V | Non dim. | E26 | 6 | 48 | 621139400259 |
|  | 1-50061<br>LED / DEL<br>Closet light / Lumière pour placard - 1PK | 11W | 800 lm | 4000K | 120V | Dim. | E26 | 6 | 24 | 621139500614 |
|  | 1-60001<br>LED / DEL<br>Night light / Veilleuse<br>White / Blanc - 2CD | 1W | 3.6 lm | 4100K | 120V | Non dim. | E12 | 10 | 100 | 621139600017 |
|  | 1-60002<br>LED / DEL<br>Night light / Veilleuse<br>Clear / Claire - 2CD | 1W | 3.9 lm | 4100K | 120V | Non dim. | E12 | 10 | 100 | 621139600024 |
|  | 1-00830<br>LED / DEL<br>Flame effect<br>Effet de flamme - 1PK | 2W | N/A | 1800K | 120V | Non dim. | E26 | 8 | 64 | 621139008301 |

## SMART BULB / AMPOULE INTELLIGENTE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50084<br>LED / DEL - Wi-Fi<br>Tunable white<br>Luminosité ajustable<br>Type A19 - 2PK | 10W | 800 lm | 2700K to/à 6500K | 120V | Dim. | E26 | 4 | 24 | 621139500843 |
|  | 1-50085<br>LED / DEL - Wi-Fi<br>Color changing & Tunable white<br>Couleurs ajustable et Luminosité ajustable<br>Type A19 - 2PK | 10W | 800 lm | RGB + 2700K to/à 6500K | 120V | Dim. | E26 | 4 | 24 | 621139500850 |
|  | 1-50086<br>LED / DEL - Wi-Fi<br>Tunable white<br>Luminosité ajustable<br>Type BR30 - 1PK | 10W | 650 lm | 2700K to/à 6500K | 120V | Dim. | E26 | 4 | 24 | 621139500867 |
|  | 1-50076<br>LED / DEL - Wi-Fi<br>Color changing & Tunable white<br>Couleurs ajustable et Luminosité ajustable<br>Type BR30 - 1PK | 10W | 650 lm | RGB + 2700K to/à 6500K | 120V | Dim. | E26 | 4 | 24 | 621139500768 |
|  | 1-50075<br>LED / DEL - Wi-Fi<br>Color changing & Tunable white<br>Couleurs ajustable et Luminosité ajustable<br>Type BR30 - 4PK | 10W | 650 lm | RGB + 2700K to/à 6500K | 120V | Dim. | E26 | 4 | 12 | 621139500751 |








SMART BULB / AMPOULE INTELLIGENTE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-50089<br>LED / DEL<br>Motion Detector<br>Détecteur de mouvement<br>Type PAR38 - 1PK | 10W | 750 lm | 5000K | 120V | Non dim. | E26 | 6 | 24 | 621139500898 |

## T8 LED TUBE / T8 TUBE DEL

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-69910<br>LED / DEL<br>Type T8 Tube 4′ - 1PK (Direct - Ballast Non Compatible) | 22W | 2200 lm | 6500K | 120V | Non dim. | G13 | 0 | 12 | 621139699103 |
|  | 1-69911<br>LED / DEL<br>Type T8 Tube 4′ - 1PK (Compatible with Ballast) | 17W | 2200 lm | 4000K | 120V to/à 277V | Non dim. | G13 | 0 | 12 | 621139699110 |
|  | 1-69912<br>LED / DEL<br>Type T8 Tube 4′ - 1PK (Compatible with Ballast) | 17W | 2200 lm | 5000K | 120V to/à 277V | Non dim. | G13 | 0 | 12 | 621139699127 |
|  | 1-69913<br>LED / DEL<br>Type T8 Tube 4′ - 1PK (Direct - Ballast Non Compatible) | 14.5W | 2200 lm | 5000K | 120V to/à 277V | Non dim. | G13 | 0 | 12 | 621139699134 |

# CFL / AFC



CFL BULBS / AMPOULES AFC

## T2 SPIRAL / SPIRALE T2

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60200<br>CFL / AFC<br>Type T2 - 2PK | 9W | 540 lm | 2700K | 120V | Non dim. | E26 | 0 | 8 | 621139602004 |
|  | 1-60201<br>CFL / AFC<br>Type T2 - 2PK | 13W | 900 lm | 2700K | 120V | Non dim. | E26 | 0 | 8 | 621139602011 |
|  | 1-60202<br>CFL / AFC<br>Type T2 - 2PK | 23W | 1600 lm | 2700K | 120V | Non dim. | E26 | 0 | 8 | 621139602028 |
|  | 1-60210<br>CFL / AFC<br>Type T2 - 2PK | 9W | 540 lm | 4100K | 120V | Non dim. | E26 | 0 | 8 | 621139602103 |
|  | 1-60211<br>CFL / AFC<br>Type T2 - 2PK | 13W | 900 lm | 4100K | 120V | Non dim. | E26 | 0 | 8 | 621139602110 |
|  | 1-60212<br>CFL / AFC<br>Type T2 - 2PK | 23W | 1520 lm | 4100K | 120V | Non dim. | E26 | 0 | 8 | 621139602127 |
|  | 1-60220<br>CFL / AFC<br>Type T2 - 2PK | 9W | 540 lm | 5000K | 120V | Non dim. | E26 | 0 | 8 | 621139602202 |
|  | 1-60223<br>CFL / AFC<br>Type T2 - 2PK | 13W | 900 lm | 5000K | 120V | Non dim. | E26 | 0 | 8 | 621139602233 |
|  | 1-60222<br>CFL / AFC<br>Type T2 - 2PK | 23W | 1520 lm | 5000K | 120V | Non dim. | E26 | 0 | 8 | 621139602226 |

## T2 SPIRAL / SPIRALE T2

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60402<br>CFL / AFC<br>Type T2 - 4PK | 23W | 1600 lm | 2700K | 120V | Non dim. | E26 | 0 | 6 | 621139604022 |
|  | 1-60411<br>CFL / AFC<br>Type T2 - 4PK | 13W | 900 lm | 4100K | 120V | Non dim. | E26 | 0 | 6 | 621139604114 |
|  | 1-60412<br>CFL / AFC<br>Type T2 - 4PK | 23W | 1520 lm | 4100K | 120V | Non dim. | E26 | 0 | 6 | 621139604121 |
|  | 1-60423<br>CFL / AFC<br>Type T2 - 4PK | 13W | 900 lm | 5000K | 120V | Non dim. | E26 | 0 | 6 | 621139604237 |
|  | 1-60422<br>CFL / AFC<br>Type T2 - 4PK | 23W | 1520 lm | 5000K | 120V | Non dim. | E26 | 0 | 6 | 621139604220 |
|  | 1-60107<br>CFL / AFC<br>Type T2 - 1PK | 13W | 900 lm | 2700K | 120V | Non dim. | GU24 | 0 | 8 | 621139601076 |





## T4 & T5 SPIRAL / SPIRALE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60101<br>CFL / AFC<br>Type T4 - 1PK | 40W | 2650 lm | 4100K | 120V | Non dim. | E26 | 0 | 4 | 621139601014 |
|  | 1-60102<br>CFL / AFC<br>Type T5 - 1PK | 65W | 4000 lm | 4100K | 120V | Non dim. | E26 | 0 | 4 | 621139601021 |

## COLOR SPIRAL / SPIRALE COULEUR

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60123<br>CFL / AFC<br>Bug light / Anti-insecte<br>Yellow / Jaune<br>Type T2 - 1PK | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 | 621139601236 |
|  | 1-60111<br>CFL / AFC<br>Blue / Bleu<br>Type T2 - 1PK | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 | 621139601113 |
|  | 1-60112<br>CFL / AFC<br>Green / vert<br>Type T2 - 1PK | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 | 621139601120 |
|  | 1-60113<br>CFL / AFC<br>Red / Rouge<br>Type T2 - 1PK | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 | 621139601137 |
|  | 1-60110<br>CFL / AFC<br>Black light/ Ultra-violet<br>Type T2 - 1PK | 13W | N/A | N/A | 120V | Non dim. | E26 | 8 | 48 | 621139601106 |

## TYPE A19

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60109<br>CFL / AFC<br>Type A19 - 1PK | 14W | 800 lm | 2700K | 120V | Non dim. | E26 | 0 | 6 | 621139601090 |

## TYPE PAR

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60103<br>CFL / AFC<br>Type PAR20 - 1PK | 9W | 330 lm | 4100K | 120V | Non dim. | E26 | 0 | 6 | 621139601038 |
|  | 1-60104<br>CFL / AFC<br>Type PAR30 - 1PK | 15W | 630 lm | 4100K | 120V | Non dim. | E26 | 0 | 4 | 621139601045 |
|  | 1-60105<br>CFL / AFC<br>Type PAR38 - 1PK | 23W | 1070 lm | 4100K | 120V | Non dim. | E26 | 0 | 4 | 621139601052 |

## TYPE R30

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60722<br>CFL / AFC<br>Type R30 - 2PK | 15W | 750 lm | 2700K | 120V | Non dim. | E26 | 0 | 4 | 621139607221 |

## PL13 / 2U

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-60199<br>CFL / AFC<br>Type PL13 - 1CD | 13W | 825 lm | 4100K | 120V | Non dim. | Bi-pin | 6 | 36 | 621139601991 |
|  | 1-00831<br>CFL / AFC - Full spectrum / Spectre complet Type 2U-1PK | 13W | 800 lm | 6400K | 120V | Non dim. | 4-pin | 6 | 36 | 621139008318 |





## FLUO. TUBE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-69906<br>CFL / AFC<br>48″ - T8 Tube (4′)<br>Fluo triphosphore - 2PK | 32W | 3050 lm | 4100K | 120V | Non dim. | G13 | 0 | 12 | 621139699066 |
|  | 1-69907<br>CFL / AFC<br>48″ - T8 Tube (4′)<br>Fluo triphosphore - 2PK | 32W | 2900 lm | 5000K | 120V | Non dim. | G13 | 0 | 12 | 621139699073 |
|  | 1-69908<br>CFL / AFC<br>48″ - T8 Tube (4′)<br>Fluo triphosphore - 2PK | 32W | 2900 lm | 6500K | 120V | Non dim. | G13 | 0 | 12 | 621139699080 |
|  | 1-63090<br>CFL / AFC<br>18″ - T8 Tube (1.5′)<br>Black light / Ultra-violet<br>Fluo - 1CD | 15W | N/A | N/A | 120V | Non dim. | G13 | 6 | 24 | 621139630908 |



# INCANDESCENT
Bulbs

Ampoules
# INCANDESCENTES







## A15 - APPLIANCE / APPAREIL

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63041<br>INCAN. Bulbs / Ampo. Clear / Claire<br>Type A15 - 1CD | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 60 | 621139630410 |
|  | 1-63115<br>INCAN. Bulbs / Ampo. Clear / Claire<br>Type A15 - 2CD | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 60 | 621139631158 |
|  | 1-63043<br>INCAN. Bulbs / Ampo. Clear / Claire<br>Type A15 - 1CD | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 6 | 60 | 621139630434 |
|  | 1-63113<br>INCAN. Bulbs / Ampo. Clear / Claire<br>Type A15 - 2CD | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 6 | 60 | 621139631134 |
|  | 1-63042<br>INCAN. Bulbs / Ampo. Frosted / Givrée<br>Type A15 - 1CD | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 60 | 621139630427 |
|  | 1-63101<br>INCAN. Bulbs / Ampo. Clear-Fan/Claire-Venti.<br>Type A15 - 2CD | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 36 | 621139631011 |

## TYPE A19

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63901<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 2PK | 40W | 300 lm | 2700K | 130V | Dim. | E26 | 0 | 24 | 621139639017 |
|  | 1-63903<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 2PK | 100W | 1020 lm | 2700K | 130V | Dim. | E26 | 0 | 24 | 621139639031 |
|  | 1-63905<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 40W | 290 lm | 2700K | 130V | Dim. | E26 | 0 | 24 | 621139639055 |
|  | 1-63906<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 0 | 24 | 621139639062 |
|  | 1-63907<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 100W | 1000 lm | 2700K | 130V | Dim. | E26 | 0 | 24 | 621139639079 |
|  | 1-63979<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 4PK | 40W | 290 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639796 |
|  | 1-63980<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 4PK | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639802 |





TYPE A19

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63908<br>INCAN. Bulbs / Ampo.<br>Soft white / Blanc doux<br>Type A19 - 2PK | 40W | 290 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639086 |
|  | 1-63909<br>INCAN. Bulbs / Ampo.<br>Soft white / Blanc doux<br>Type A19 - 2PK | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639093 |
|  | 1-63910<br>INCAN. Bulbs / Ampo.<br>Soft white / Blanc doux<br>Type A19 - 2PK | 100W | 1000 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639109 |
|  | 1-63991<br>INCAN. Bulbs / Ampo.<br>Soft white / Blanc doux<br>Type A19 - 4PK | 40W | 290 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639918 |
|  | 1-63992<br>INCAN. Bulbs / Ampo.<br>Soft white / Blanc doux<br>Type A19 - 4PK | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639925 |



## A19 LONG LIFE / LONGUE VIE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63911<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 40W | 250 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639116 |
|  | 1-63912<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 2PK | 60W | 480 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639123 |
|  | 1-64265<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 6PK | 40W | 250 lm | 2700K | 130V | Dim. | E26 | 0 | 6 | 621139642659 |
|  | 1-64266<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A19 - 6PK | 60W | 480 lm | 2700K | 130V | Dim. | E26 | 0 | 6 | 621139642666 |
|  | 1-63914<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 2PK | 40W | 260 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639147 |
|  | 1-63915<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 2PK | 60W | 490 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139639154 |
|  | 1-64276<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 6PK | 40W | 260 lm | 2700K | 130V | Dim. | E26 | 0 | 6 | 621139642765 |
|  | 1-64277<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A19 - 6PK | 60W | 490 lm | 2700K | 130V | Dim. | E26 | 0 | 6 | 621139642772 |





## A19 COLOR / COULEUR

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63011<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Blue / Bleu<br>Type A19 - 1PK | 60W | N/A | N/A | 130V | Dim. | E26 | 6 | 60 | 621139630113 |
|  | 1-63012<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Green / Vert<br>Type A19 - 1PK | 60W | N/A | N/A | 130V | Dim. | E26 | 6 | 60 | 621139630120 |
|  | 1-63013<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Red / Rouge<br>Type A19 - 1PK | 60W | N/A | N/A | 130V | Dim. | E26 | 6 | 60 | 621139630137 |
|  | 1-63014<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Amber / Ambre<br>Type A19 - 1PK | 60W | N/A | N/A | 130V | Dim. | E26 | 6 | 60 | 621139630144 |
|  | 1-63015<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Yellow / Jaune<br>Type A19 - 1PK | 60W | N/A | N/A | 130V | Dim. | E26 | 6 | 60 | 621139630151 |
|  | 1-63006<br>INCAN. Bulbs / Ampo.<br>Party / Festivité<br>Black light / Ultra-violet<br>Type A19 - 1PK | 75W | N/A | N/A | 130V | Dim. | E26 | 6 | 60 | 621139630069 |

## S14 COLOR / COULEUR

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63054<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Amber / Ambre<br>Type S14 - 1PK | 11W | N/A | N/A | 130V | Dim. | E26 | 12 | 120 | 621139630540 |
|  | 1-63055<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Green / Vert<br>Type S14 - 1PK | 11W | N/A | N/A | 130V | Dim. | E26 | 12 | 120 | 621139630557 |
|  | 1-63056<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Blue / Bleu<br>Type S14 - 1PK | 11W | N/A | N/A | 130V | Dim. | E26 | 12 | 120 | 621139630564 |
|  | 1-63057<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Red / Rouge<br>Type S14 - 1PK | 11W | N/A | N/A | 130V | Dim. | E26 | 12 | 120 | 621139630571 |
|  | 1-63058<br>INCAN. Bulbs / Ampo.<br>Sign light / Enseigne<br>Yellow / Jaune<br>Type S14 - 1PK | 11W | N/A | N/A | 130V | Dim. | E26 | 12 | 120 | 621139630588 |





## TYPE A21 / A23

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63039<br>INCAN. Bulbs / Ampo.<br>Tri-light / 3 intensité<br>Type A21 - 1PK | 50W<br>100W<br>150W | 520 lm<br>1230 lm<br>1750 lm | 2700K | 120V | Dim. | E26 | 0 | 12 | 621139630397 |
|  | 1-63084<br>INCAN. Bulbs / Ampo.<br>Clear / Claire<br>Type A23 - 1PK | 200W | 2650 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139630847 |
|  | 1-63082<br>INCAN. Bulbs / Ampo.<br>Frosted / Givrée<br>Type A23 - 1PK | 200W | 2605 lm | 2700K | 130V | Dim. | E26 | 0 | 12 | 621139630823 |

## TYPE R12 / R14 / R16

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63075<br>Spot light / Faisceau<br>étroit - White / Blanc<br>Type R12 - 1CD | 25W | 170 lm | 2700K | 120V | Dim. | E17 | 10 | 100 | 621139630755 |
|  | 1-63077<br>Accent / D'appoint<br>White / Blanc<br>Type R14 - 1CD | 25W | 170 lm | 2700K | 120V | Dim. | E17 | 10 | 100 | 621139630779 |

TYPE R12 / R14 / R16

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63045<br>Spot light / Faisceau étroit - White / Blanc<br>Type R16 - 1CD | 40W | 330 lm | 2700K | 120V | Dim. | E26 | 6 | 60 | 621139630458 |
|  | 1-63044<br>Spot light / Faisceau étroit - White / Blanc<br>Type R16 - 1CD | 60W | 510 lm | 2700K | 120V | Dim. | E26 | 6 | 60 | 621139630441 |
|  | 1-63086<br>Spot light / Faisceau étroit - White / Blanc<br>Type R16 - 2PK | 40W | 330 lm | 2700K | 120V | Dim. | E26 | 12 | 72 | 621139630861 |
|  | 1-63085<br>Spot light / Faisceau étroit - White / Blanc<br>Type R16 - 2PK | 60W | 510 lm | 2700K | 120V | Dim. | E26 | 12 | 72 | 621139630854 |

## TYPE BR30

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63087<br>Flood light / Faisceau large - White / Blanc<br>Type BR30 - 1PK | 65W | 580 lm | 2700K | 130V | Dim. | E26 | 6 | 36 | 621139630878 |
|  | 1-63102<br>Flood light / Faisceau large - White / Blanc<br>Type BR30 - 2PK | 65W | 580 lm | 2700K | 130V | Dim. | E26 | 6 | 24 | 621139631028 |
|  | 1-63088<br>Flood light / Faisceau large - White / Blanc<br>Type BR30 - 6PK | 65W | 580 lm | 2700K | 130V | Dim. | E26 | 0 | 3 | 621139630885 |







## TYPE S11

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63019<br>High intensity / Haute intensité - Clear / Claire<br>Type S11 - 1CD | 25W | 170 lm | 2700K | 130V | Dim. | E17 | 10 | 100 | 621139630199 |
|  | 1-63020<br>High intensity / Haute intensité - Clear / Claire<br>Type S11 - 1CD | 40W | 360 lm | 2700K | 130V | Dim. | E17 | 10 | 100 | 621139630205 |
|  | 1-63061<br>Indicator / Indication Green / Vert<br>Type S11 - 1CD | 7.5W | N/A | N/A | 130V | Dim. | E26 | 10 | 100 | 621139630618 |
|  | 1-63062<br>Indicator / Indication Blue / Bleu<br>Type S11 - 1CD | 7.5W | N/A | N/A | 130V | Dim. | E26 | 10 | 100 | 621139630625 |
|  | 1-63064<br>Indicator / Indication Clear / Claire<br>Type S11 - 1CD | 7.5W | 25 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630649 |
|  | 1-63065<br>Indicator / Indication White / Blanc<br>Type S11 - 1CD | 7.5W | 23 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630656 |
|  | 1-63067<br>Indicator / Indication Red / Rouge<br>Type S11 - 1CD | 7.5W | N/A | N/A | 130V | Dim. | E26 | 10 | 100 | 621139630670 |
|  | 1-63069<br>Indicator / Indication Yellow / Jaune<br>Type S11 - 1CD | 7.5W | N/A | N/A | 130V | Dim. | E26 | 10 | 100 | 621139630694 |

## TYPE G16.5

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63046<br>Vanity / Vanité<br>Clear / Claire<br>Type G16.5 - 2CD | 25W | 170 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630465 |
|  | 1-63047<br>Vanity / Vanité<br>Clear / Claire<br>Type G16.5 - 2CD | 40W | 360 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630472 |
|  | 1-63048<br>Vanity / Vanité<br>Clear / Claire<br>Type G16.5 - 2CD | 60W | 600 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630489 |
|  | 1-63049<br>Vanity / Vanité<br>White / Blanc<br>Type G16.5 - 2CD | 25W | 150 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630496 |
|  | 1-63050<br>Vanity / Vanité<br>White / Blanc<br>Type G16.5 - 2CD | 40W | 320 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630502 |
|  | 1-63051<br>Vanity / Vanité<br>White / Blanc<br>Type G16.5 - 2CD | 60W | 550 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630519 |

## TYPE G25

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63001<br>Vanity / Vanité<br>Clear / Claire<br>Type G25 - 1PK | 40W | 360 lm | 2700K | 130V | Dim. | E26 | 6 | 72 | 621139630014 |
|  | 1-63002<br>Vanity / Vanité<br>Clear / Claire<br>Type G25 - 1PK | 60W | 600 lm | 2700K | 130V | Dim. | E26 | 6 | 72 | 621139630021 |





TYPE G25

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63003<br>Vanity / Vanité<br>White / Blanc<br>Type G25 - 1PK | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 72 | 621139630038 |
|  | 1-63004<br>Vanity / Vanité<br>White / Blanc<br>Type G25 - 1PK | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 6 | 72 | 621139630045 |
|  | 1-63111<br>Vanity / Vanité<br>White / Blanc<br>Type G25 - 3PK | 40W | 320 lm | 2700K | 130V | Dim. | E26 | 6 | 24 | 621139631110 |
|  | 1-63112<br>Vanity / Vanité<br>White / Blanc<br>Type G25 - 3PK | 60W | 550 lm | 2700K | 130V | Dim. | E26 | 6 | 24 | 621139631127 |



## TYPE C7

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63009<br>Night light / Veilleuse<br>Clear / Claire<br>Type C7 - 2CD | 4W | 14 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630090 |
|  | 1-63007<br>Night light / Veilleuse<br>Clear / Claire<br>Type C7 - 2CD | 7W | 22 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630076 |
|  | 1-63010<br>Night light / Veilleuse<br>White / Blanc<br>Type C7 - 2CD | 4W | 10 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630106 |
|  | 1-63008<br>Night light / Veilleuse<br>White / Blanc<br>Type C7 - 2CD | 7W | 20 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630083 |
|  | 1-63098<br>Night light / Veilleuse<br>Clear / Claire<br>Type C7 - 3CD | 7W | 22 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630984 |
|  | 1-63099<br>Night light / Veilleuse<br>White / Blanc<br>Type C7 - 3CD | 7W | 20 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630991 |







## TYPE T6

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63070<br>Exit sign / Enseigne sortie - Clear / Claire<br>Type T6 - 1CD | 15W | 90 lm | 2700K | 145V | Dim. | E12 | 10 | 100 | 621139630700 |

## TYPE T7

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63071<br>Appliance / Électro.<br>Clear / Claire<br>Type T7 - 1CD | 15W | 90 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630717 |
|  | 1-63072<br>Appliance / Électro.<br>Clear / Claire<br>Type T7 - 1CD | 15W | 90 lm | 2700K | 130V | Dim. | E17 | 10 | 100 | 621139630724 |

## TYPE T10

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63017<br>Tubular / Tubulaire<br>Clear / Claire<br>Type T10 - 1CD | 40W | 280 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630175 |

## TYPE B8 / B9

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63027<br>Chandelier - Type B8<br>Clear / Claire - 2CD | 15W | 100 lm | 2700K | 120V | Dim. | E12 | 10 | 100 | 621139630274 |
|  | 1-63035<br>Chandelier - Type B9<br>Clear / Claire - 2CD | 25W | 170 lm | 2700K | 130V | Dim. | E14 | 10 | 100 | 621139630359 |
|  | 1-63036<br>Chandelier - Type B9<br>Clear / Claire - 2CD | 40W | 360 lm | 2700K | 130V | Dim. | E14 | 10 | 100 | 621139630366 |
|  | 1-63037<br>Chandelier - Type B9<br>Clear / Claire - 2CD | 60W | 600 lm | 2700K | 130V | Dim. | E14 | 10 | 100 | 621139630373 |

## TYPE B10

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63029<br>Chandelier - Type B10<br>Clear / Claire - 2CD | 25W | 170 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630298 |
|  | 1-63030<br>Chandelier - Type B10<br>Clear / Claire - 2CD | 40W | 360 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630304 |
|  | 1-63031<br>Chandelier - Type B10<br>Clear / Claire - 2CD | 60W | 600 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630311 |
|  | 1-63032<br>Chandelier - Type B10<br>Frosted / Givrée - 2CD | 25W | 170 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630328 |





TYPE B10

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63033<br>Chandelier - Type B10<br>Frosted / Givrée - 2CD | 40W | 360 lm | 2700K | 130V | Dim. | E12 | 10 | 100 | 621139630335 |

## TYPE B11

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63021<br>Chandelier - Type B11<br>Clear / Claire - 2CD | 25W | 170 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630212 |
|  | 1-63022<br>Chandelier - Type B11<br>Clear / Claire - 2CD | 40W | 360 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630229 |
|  | 1-63023<br>Chandelier - Type B11<br>Clear / Claire - 2CD | 60W | 600 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630236 |
|  | 1-63100<br>Chandelier - Type B11<br>Fan / Ventilateur<br>Clear / Claire - 2CD | 40W | 360 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139631004 |
|  | 1-63024<br>Chandelier - Type B11<br>Frosted / Givrée - 2CD | 25W | 170 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630243 |
|  | 1-63025<br>Chandelier - Type B11<br>Frosted / Givrée - 2CD | 40W | 360 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630250 |
|  | 1-63026<br>Chandelier - Type B11<br>Frosted / Givrée - 2CD | 60W | 600 lm | 2700K | 120V | Dim. | E26 | 10 | 100 | 621139630267 |

# HALOGEN
# HALOGÈNE





## MR16 - GU10

| | Product / Produit | Watts | Lumens | K | ⚡ | ◠ | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|
|  | 1-62028<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 1CD | 50W | 700 lm | 2700K | 120V | Dim. | GU10 | 6 | 60 | 621139620282 |
|  | 1-62003<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 2CD | 20W | 190 lm | 2700K | 120V | Dim. | GU10 | 6 | 60 | 621139620039 |
|  | 1-62005<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 2CD | 35W | 400 lm | 2700K | 120V | Dim. | GU10 | 6 | 60 | 621139620053 |
|  | 1-62006<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 2CD | 50W | 700 lm | 2700K | 120V | Dim. | GU10 | 6 | 60 | 621139620060 |
|  | 1-62007<br>Cool beam - Glass cover / Faisceau frais Couvercle verre<br>Type MR16 - 2CD | 50W | 400 lm | 2700K | 120V | Dim. | GU10 | 6 | 60 | 621139620077 |
|  | 1-62063<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 3PK | 50W | 700 lm | 2700K | 120V | Dim. | GU10 | 6 | 48 | 621139620633 |
|  | 1-62064<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 4PK | 50W | 700 lm | 2700K | 120V | Dim. | GU10 | 6 | 48 | 621139620640 |
|  | 1-62068<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 8PK | 50W | 700 lm | 2700K | 120V | Dim. | GU10 | 4 | 24 | 621139620688 |

## MR16 - GU5.3 BI-PIN

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-62022<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 1CD | 20W | 260 lm | 2700K | 12V | Dim. | GU5.3<br>Bi-pin | 6 | 60 | 621139620220 |
|  | 1-62013<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 1CD | 35W | 500 lm | 2700K | 12V | Dim. | GU5.3<br>Bi-pin | 6 | 60 | 621139620138 |
|  | 1-62078<br>Flood light - No glass cover / Faisceau large Pas de couvercle verre<br>Type MR16 - 2CD | 50W | 825 lm | 2700K | 12V | Dim. | GU5.3<br>Bi-pin | 6 | 60 | 621139620787 |
|  | 1-62053<br>Flood light - Glass cover / Faisceau large Couvercle verre<br>Type MR16 - 3PK | 50W | 825 lm | 2700K | 12V | Dim. | GU5.3<br>Bi-pin | 10 | 100 | 621139620534 |







## T3 JCD - G4 BI-PIN

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-62016<br>Clear / Claire<br>Type T3 JCD - 2CD | 10W | 105 lm | 2700K | 12V | Dim. | G4<br>Bi-pin | 10 | 100 | 621139620169 |
|  | 1-62018<br>Clear / Claire<br>Type T3 JCD - 1CD | 20W | 260 lm | 2700K | 12V | Dim. | G4<br>Bi-pin | 10 | 100 | 621139620183 |
|  | 1-62040<br>Clear / Claire<br>Type T3 JCD - 2CD | 20W | 260 lm | 2700K | 12V | Dim. | G4<br>Bi-pin | 10 | 100 | 621139620404 |

## T4 JCD - GY6.35 BI-PIN

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-62019<br>Clear / Claire<br>Type T4 JCD - 1CD | 50W | 825 lm | 2700K | 12V | Dim. | GY6.35<br>Bi-pin | 10 | 100 | 621139620190 |
|  | 1-62020<br>Clear / Claire<br>Type T4 JCD - 2CD | 35W | 500 lm | 2700K | 12V | Dim. | GY6.35<br>Bi-pin | 10 | 100 | 621139620206 |
|  | 1-62041<br>Clear / Claire<br>Type T4 JCD - 2CD | 50W | 825 lm | 2700K | 12V | Dim. | GY6.35<br>Bi-pin | 10 | 100 | 621139620411 |

## T4 JCD - G9

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-62001<br>Clear / Claire<br>Type T4 JCD - 4CD | 40W | 400 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620015 |
|  | 1-62021<br>Clear / Claire<br>Type T4 JCD - 1CD | 50W | 550 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620213 |
|  | 1-62011<br>Clear / Claire<br>Type T4 JCD - 1CD | 60W | 700 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620114 |
|  | 1-62083<br>Clear / Claire<br>Type T4 JCD - 1CD | 20W | 205 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620831 |
|  | 1-62014<br>Clear / Claire<br>Type T4 JCD - 1CD | 25W | 250 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620145 |
|  | 1-62009<br>Clear / Claire<br>Type T4 JCD - 1CD | 35W | 350 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620091 |
|  | 1-62010<br>Frosted / Givrée<br>Type T4 JCD - 1CD | 35W | 350 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620107 |
|  | 1-62000<br>Clear / Claire<br>Type T4 JCD - 1CD | 40W | 400 lm | 2700K | 120V | Dim. | G9 | 10 | 100 | 621139620008 |





## T3 JCD - RSC (78 MM)

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-62038<br>Clear / Claire<br>Type T3 JCD - 1CD | 75W | 500 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620381 |
|  | 1-62035<br>Clear / Claire<br>Type T3 JCD - 1CD | 100W | 1057 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620350 |
|  | 1-62079<br>Clear / Claire<br>Type T3 JCD - 2CD | 100W | 1057 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620794 |
|  | 1-62032<br>Clear / Claire<br>Type T3 JCD - 1CD | 150W | 1800 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620329 |
|  | 1-62080<br>Clear / Claire<br>Type T3 JCD - 2CD | 150W | 1800 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620800 |
|  | 1-62030<br>Clear / Claire<br>Type T3 JCD - 1CD | 200W | 1950 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620305 |
|  | 1-62037<br>Clear / Claire<br>Type T3 JCD - 1CD | 250W | 3000 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620374 |

## T3 JCD - RSC (118 MM)

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-62033<br>Clear / Claire<br>Type T3 JCD - 1CD | 100W | 725 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620336 |
|  | 1-62031<br>Clear / Claire<br>Type T3 JCD - 1CD | 150W | 1650 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620312 |
|  | 1-62029<br>Clear / Claire<br>Type T3 JCD - 1CD | 200W | 2500 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620299 |
|  | 1-62034<br>Clear / Claire<br>Type T3 JCD - 1CD | 300W | 4505 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620343 |
|  | 1-62081<br>Clear / Claire<br>Type T3 JCD - 2CD | 300W | 4505 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620817 |
|  | 1-62036<br>Clear / Claire<br>Type T3 JCD - 1CD | 500W | 8050 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620367 |
|  | 1-62082<br>Clear / Claire<br>Type T3 JCD - 2CD | 500W | 8050 lm | 2700K | 130V | Dim. | RSC | 10 | 100 | 621139620824 |







## TYPE PAR20

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-65415<br>Flood light/Faisc. large<br>Type PAR20 - 1PK | 50W | 700 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 621139654157 |
|  | 1-65515<br>Flood light/Faisc. large<br>Type PAR20 - 1PK | 50W | 700 lm | 2700K | 130V | Dim. | E26 | 6 | 24 | 621139655154 |
|  | 1-62415<br>Flood light/Faisc. large<br>Type PAR20 - 2PK | 50W | 700 lm | 2700K | 130V | Dim. | E26 | 6 | 24 | 621139624150 |
|  | 1-62074<br>Flood light/Faisc. large<br>Type PAR20 - 4PK | 50W | 700 lm | 2700K | 130V | Dim. | E26 | 3 | 12 | 621139620749 |
|  | 1-62076<br>Flood light/Faisc. large<br>Type PAR20 - 6PK | 50W | 700 lm | 2700K | 130V | Dim. | E26 | 0 | 4 | 621139620763 |

## TYPE PAR30 / PAR38

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63095<br>Long neck/Cou allongé<br>Type PAR30 - 1PK | 50W | 700 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 621139630953 |
|  | 1-63096<br>Short neck/Cou court<br>Type PAR30 - 1PK | 75W | 1025 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 621139630960 |
|  | 1-63097<br>Long neck/Cou allongé<br>Type PAR30 - 1PK | 75W | 1025 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 621139630977 |
|  | 1-63094<br>Flood light/Faisc. large<br>Type PAR38 - 1PK | 90W | 1700 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 621139630946 |




HALOGEN BULBS / AMP. HALOGÈNE

## TYPE A19

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-64053<br>Halogen / Halogène<br>Clear / Claire<br>Type A19 - 2PK | 72W | 1490 lm | 2700K | 120V | Dim. | E26 | 6 | 48 | 621139640532 |
|  | 1-64054<br>Halogen / Halogène<br>Soft white/Blanc doux<br>Type A19 - 2PK | 29W | 360 lm | 2700K | 120V | Dim. | E26 | 6 | 48 | 621139640549 |
|  | 1-64055<br>Halogen / Halogène<br>Soft white/Blanc doux<br>Type A19 - 2PK | 43W | 710 lm | 2700K | 120V | Dim. | E26 | 6 | 48 | 621139640556 |
|  | 1-64078<br>Halogen / Halogène<br>Soft white/Blanc doux<br>Type A19 - 4PK | 29W | 360 lm | 2700K | 120V | Dim. | E26 | 4 | 24 | 621139640785 |

## TYPE B11

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-64061<br>Halogen / Halogène<br>Clear/Claire - Chandel.<br>Type B11 - 2PK | 29W | 380 lm | 2700K | 120V | Dim. | E26 | 6 | 60 | 621139640617 |
|  | 1-64062<br>Halogen / Halogène<br>Clear/Claire - Chandel.<br>Type B11 - 2PK | 43W | 750 lm | 2700K | 120V | Dim. | E26 | 6 | 60 | 621139640624 |

## TYPE G16.5

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-64063<br>Halogen / Halogène<br>Clear / Claire<br>Type G16.5 - 2PK | 29W | 380 lm | 2700K | 120V | Dim. | E12 | 6 | 60 | 621139640631 |





## TYPE G25

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-64067<br>Halogen / Halogène<br>Clear / Claire<br>Type G25 - 2PK | 29W | 380 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 621139640679 |
|  | 1-64069<br>Halogen / Halogène<br>Soft white/Blanc doux<br>Type G25 - 2PK | 29W | 360 lm | 2700K | 120V | Dim. | E26 | 6 | 24 | 621139640693 |






# OLD FASHIONED
# À L'ANCIENNE



## VINTAGE / À L'ANCIENNE

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63105<br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type A - 1PK | 60W | 240 lm | N/A | 120V | Dim. | E26 | 6 | 48 | 621139631059 |
|  | 1-63106<br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type S - 1PK | 60W | 220 lm | N/A | 120V | Dim. | E26 | 6 | 48 | 621139631066 |
|  | 1-63107<br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type G - 1PK | 60W | 200 lm | N/A | 120V | Dim. | E26 | 6 | 48 | 621139631073 |
|  | 1-63108<br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type T - 1PK | 60W | 200 lm | N/A | 120V | Dim. | E26 | 6 | 96 | 621139631080 |
|  | 1-63110<br>Old fashioned bulb<br>Amp. à l'ancienne<br>Smoked / Fumée<br>Type CA - 2PK | 25W | 125 lm | N/A | 120V | Dim. | E12 | 6 | 96 | 621139631103 |

# SODIUM & MERCURY
# SODIUM ET MERCURE







## HID / DHI

| | Product / Produit | Watts | Lumens | K | | | | Inner | Master | UPC |
|---|---|---|---|---|---|---|---|---|---|---|
|  | 1-63091<br>High pressure sodium<br>Sodium à haute pression - Clear / Clair<br>Type HPS - 1PK | 70W | 6000 lm | 2000K | 120V | N/A | E26 | 6 | 12 | 621139630915 |
|  | 1-63092<br>High pressure sodium<br>Sodium à haute pression - Clear / Clair<br>Type HPS - 1PK | 150W | 15000 lm | 2000K | 120V | N/A | Mogul E40 | 6 | 12 | 621139630922 |
|  | 1-63093<br>Mercury vapor bulb<br>Amp. à vapeur de mercure - Clear / Clair<br>Type MV - 1PK | 175W | 8000 lm | 6000K | 120V | N/A | Mogul E40 | 6 | 12 | 621139630939 |





# CATALOGUE D'AMPOULES
# BULBS CATALOG
*2022*

Les industries Jessar industries inc.

341 Allée Du Golf
St-Eustache, Québec
Canada J7R 0L5

Tel : 450 472 0280
Fax: 450 472 1280

E-mail: info@jessar.ca
www.jessar.ca

Nov 2022