



CATALOGUE D'AMPOULES
BULBS CATALOG

2021



BULB REFERENCE / RÉFÉRENCES D'AMPOULES

INCANDESCENT & HALOGEN / INCANDESCENTE & HALOGÈNE

COMPACT FLUO / FLUOCOMPACT



A-TYPE


GENERAL HOUSEHOLD



CFL



A-TYPE CFL




Par-type

R-type


BR-type

FLOOD LIGHT



R-type


BR-type



B-type

F-type

DECORATIVE



B-type



G-type

VANITY



G-type



MR16


MR16
GU10 base

HALOGEN



culot GU10 base

SPECIALTY / SPÉCIALITÉ



T-type

S-type

C-type


T3

JC-type
culot G9 base

JC-type
culot bi-pin base

circline

BASES / CULOT



candelabra (E12)

intermediate (E17)

medium (E26)

GU10

GU24



Jessar Industries Inc. is a family business founded in 1996. Through many years of experience in the import and distribution of household articles in the retail stores, Jessar refines its product ranges to specialize not only in household products but also in electrical products .

In just a few years, Jessar knew how to differentiate itself in its category of electrical products by creating its own Xtricity brand. In analyzing the needs of its clientele, Jessar mounted a comprehensive range of products for light bulbs, combining a superior quality as well as following the latest norms of governmental standards in order to be at the cutting edge of technology.

With its dedication to quality and customer service, Jessar distributes today its products across Canada in a variety of stores, including retail stores as well as the clients with national accounts.

Jessar hopes with the support of its loyal customers to continue being a leader in its field.

Les Industries Jessar Inc. est une entreprise familiale fondée en 1996. À travers plusieurs années d'expérience dans l'importation et la distribution d'articles domestiques dans les commerces de détail, Jessar épure ses gammes de produits pour se spécialiser dans les produits électriques et les produits pour la maison.

En quelques années seulement, Jessar su comment se démarquer dans sa catégorie de produits électriques de marque Xtricity. En analysant les besoins de sa clientèle, Jessar monte une gamme de produits complète pour les ampoules, combinant une qualité supérieure ainsi que le respect des plus récentes normes gouvernementales afin d'être à la fine pointe de la technologie.

Avec son dévouement pour la qualité et son service à la clientèle, Jessar distribue aujourd'hui ses produits à travers le Canada dans une variété de magasins, incluant les magasins à grandes surface et les clients de comptes nationaux.

Elle désire, avec l'appui de sa fidèle clientèle, continuer à être un leader dans son domaine.

LED / DEL



LED BULBS / AMPOULES DEL

TYPE A

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-40019 LED / DEL Type A19 - 1PK	6W	450 lm	3000K	120V	Non dim.	E26	6	48	621139400198
 1-40020 LED / DEL Type A19 - 1PK	6W	450 lm	5000K	120V	Non dim.	E26	6	48	621139400204
 1-60095 LED / DEL Type A19 - 1PK	7W	500 lm	5000K	120V	Non dim.	E26	6	48	621139600956
 1-60094 LED / DEL Type A19 - 1PK	10W	720 lm	5000K	120V	Non dim.	E26	6	48	621139600949
 1-40021 LED / DEL Type A19 - 1CD	10W	720 lm	3000K	120V	Non dim.	E26	6	48	621139400211
 1-40022 LED / DEL Type A19 - 1CD	10W	720 lm	5000K	120V	Non dim.	E26	6	48	621139400228

LED BULBS / AMPOULES DEL



Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
1-40082 LED / DEL Type A19 - 1CD	9W	800 lm	3000K	120V	Non dim.	E26	6	48	621139400822
1-40083 LED / DEL Type A19 - 1CD	9W	800 lm	5000K	120V	Non dim.	E26	6	48	621139400839
1-40001 LED / DEL Type A19 - 1PK	9W	800 lm	3000K	120V	Non dim.	E26	6	48	621139400013
1-40004 LED / DEL Type A19 - 1PK	9W	800 lm	5000K	120V	Non dim.	E26	6	48	621139400044
1-40002 LED / DEL Type A19 - 2PK	9W	800 lm	3000K	120V	Non dim.	E26	0	12	621139400020
1-40005 LED / DEL Type A19 - 2PK	9W	800 lm	5000K	120V	Non dim.	E26	0	12	621139400051
1-40003 LED / DEL Type A19 - 6PK	9W	800 lm	3000K	120V	Non dim.	E26	0	6	621139400037
1-40006 LED / DEL Type A19 - 6PK	9W	800 lm	5000K	120V	Non dim.	E26	0	6	621139400068

LED BULBS / AMPOULES DEL

TYPE A



Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
1-40007 LED / DEL Type A19 - 1PK	9.5W	800 lm	3000K	120V	Dim.	E26	6	48	621139400075
1-40010 LED / DEL Type A19 - 1PK	9.5W	800 lm	5000K	120V	Dim.	E26	6	48	621139400105
1-40008 LED / DEL Type A19 - 2PK	9.5W	800 lm	3000K	120V	Dim.	E26	0	12	621139400082
1-40011 LED / DEL Type A19 - 2PK	9.5W	800 lm	5000K	120V	Dim.	E26	0	12	621139400112
1-40009 LED / DEL Type A19 - 6PK	9.5W	800 lm	3000K	120V	Dim.	E26	0	6	621139400099
1-40012 LED / DEL Type A19 - 6PK	9.5W	800 lm	5000K	120V	Dim.	E26	0	6	621139400129









LED BULBS / AMPOULES DEL

TYPE A

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC	
 1-60096 LED / DEL Type A19 - 1PK Omni-direc.	10W	800 lm	3000K	120V	Dim.	E26	6	48	621139600963	
 1-60097 LED / DEL Type A19 - 1PK Omni-direc.	10W	800 lm	5000K	120V	Dim.	E26	6	48	621139600970	
 1-50041 LED / DEL Type A19 - 1PK Omni-direc.	17W	1600 lm	3000K	120V	Dim.	E26	6	48	621139500416	
 1-50042 LED / DEL Type A19 - 1PK Omni-direc.	17W	1600 lm	5000K	120V	Dim.	E26	6	48	621139500423	
 1-50091 LED / DEL Type A19 - 6PK Omni-direc.	17W	1600 lm	3000K	120V	Dim.	E26	0	6	621139500911	
 1-50092 LED / DEL Type A19 - 6PK Omni-direc.	17W	1600 lm	5000K	120V	Dim.	E26	0	6	621139500928	
 1-50033 LED / DEL Type A19 - 2PK	10W	720 lm	3000K	120V	Dim.	E26	0	12	621139500331	
 1-50034 LED / DEL Type A19 - 2PK	10W	720 lm	5000K	120V	Dim.	E26	0	12	621139500348	

LED BULBS / AMPOULES DEL

TYPE A

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-50017 LED / DEL Type A19 - 1PK	10W	800 lm	3000K	12V	Non dim.	E26	6	48	621139500171
 1-50018 LED / DEL Type A19 - 1PK	10W	800 lm	3000K	120V	Dim.	GU24	6	48	621139500188
 1-50038 LED / DEL Type A15 - 1CD Fan / Ventilateur	7W	500 lm	5000K	120V	Non dim.	E26	6	48	621139500386
 1-40067 LED / DEL Type A15 - 1CD Fan / Ventilateur	7W	500 lm	5000K	120V	Dim.	E26	6	48	621139400679
 1-40055 LED / DEL Type A15 - 2PK	7W	500 lm	3000K	120V	Dim.	E26	6	120	621139400556
 1-40056 LED / DEL Type A15 - 2PK	7W	500 lm	5000K	120V	Dim.	E26	6	120	621139400563








LED BULBS / AMPOULES DEL

FILAMENT

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-40091 LED / DEL - Filament Clear / Clair Type A19 - 1CD	9W	800 lm	3000K	120V	Dim.	E26	6	48	621139400914 
 1-40042 LED / DEL - Filament Clear / Clair Type A19 - 1CD	8.5W	800 lm	5000K	120V	Dim.	E26	6	48	621139400426
 1-40093 LED / DEL - Filament Clear / Clair Type A19 - 2PK	9W	800 lm	3000K	120V	Dim.	E26	12	48	621139400938 
 1-40037 LED / DEL - Filament Clear / Clair Type A19 - 2PK	8.5W	800 lm	5000K	120V	Dim.	E26	6	24	621139400372
 1-40095 LED / DEL - Filament Clear / Clair Type A19 - 6PK	9W	800 lm	3000K	120V	Dim.	E26	0	12	621139400952 
 1-40035 LED / DEL - Filament Clear / Clair Type A19 - 6PK	8.5W	800 lm	5000K	120V	Dim.	E26	0	6	621139400358
 1-40097 LED / DEL - Filament Clear / Clair Type S - 1CD	6.2W	700 lm	3000K	120V	Dim.	E26	6	48	621139400976
 1-40049 LED / DEL - Filament Clear / Clair Type S - 4PK	6.2W	700 lm	3000K	120V	Dim.	E26	0	6	621139400495

LED BULBS / AMPOULES DEL












FILAMENT

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-40053 LED / DEL - Filament Clear / Clair Type S14 - 2CD	3W	300 lm	3000K	120V	Dim.	E26	6	60	621139400532
 1-50026 LED / DEL - Filament White / Blanc Type G25 - 1CD	5W	500 lm	3000K	120V	Dim.	E26	6	36	621139500263
 1-40066 LED / DEL - Filament White / Blanc Type G25 - 2PK	5W	500 lm	3000K	120V	Dim.	E26	6	36	621139400662
 1-40044 LED / DEL - Filament Clear / Clair Type G25 - 2PK	5W	500 lm	3000K	120V	Dim.	E26	6	36	621139400440
 1-50049 LED / DEL - Filament Clear / Clair Type G16.5 - 1CD	5.5W	500 lm	3000K	120V	Dim.	E12	6	48	621139500492
 1-50056 LED / DEL - Filament Clear / Clair Type T10 - 1CD	4.5W	400 lm	3000K	120V	Dim.	E26	6	48	621139500560









LED BULBS / AMPOULES DEL

FILAMENT

Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 1-50024 LED / DEL - Filament Frosted / Givrée Type C - 1CD	6W	500 lm	3000K	120V	Dim.	E12	6	60	621139500249
 1-50025 LED / DEL - Filament Frosted / Givrée Type C - 1CD	6W	500 lm	3000K	120V	Dim.	E26	6	60	621139500256
 1-40031 LED / DEL - Filament Clear / Clair Type C - 2CD	5.5W	500 lm	3000K	120V	Dim.	E12	6	24	621139400310 
 1-40032 LED / DEL - Filament Frosted / Givrée Type C - 2CD	5.5W	500 lm	3000K	120V	Dim.	E12	6	24	621139400327 
 1-40033 LED / DEL - Filament Clear / Clair Type C - 2CD	5.5W	500 lm	3000K	120V	Dim.	E26	6	24	621139400334 
 1-40036 LED / DEL - Filament Frosted / Givrée Type C - 2CD	5.5W	500 lm	3000K	120V	Dim.	E26	6	24	621139400365 
 1-40045 LED / DEL - Filament Clear / Clair Type C - 4CD	3.5W	300 lm	3000K	120V	Dim.	E12	6	24	621139400457






LED BULBS / AMPOULES DEL

HIGH LUMENS / LUMEN ÉLEVÉ

Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 1-50095 LED / DEL Type A21 - 2PK	28W	2605 lm	3000K	120V	Dim.	E26	6	24	621139500959 
 1-50096 LED / DEL Type A21 - 2PK	28W	2605 lm	5000K	120V	Dim.	E26	6	24	621139500966 
 1-50097 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur	55W	5000 lm	3000K	120V	Non dim.	E26	4	24	621139500973
 1-50098 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur	55W	5000 lm	5000K	120V	Non dim.	E26	4	24	621139500980



VINTAGE / À L'ANCIENNE

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-50015 LED / DEL - Filament Smoked / Fumée Type C - 1CD	3.5W	250 lm	2200K	120V	Dim.	E12	6	60	621139500157
 1-40018 LED / DEL - Filament Smoked / Fumée Type C - 2CD	5W	350 lm	2200K	120V	Dim.	E26	6	60	621139400181
 1-40046 LED / DEL - Filament Smoked / Fumée Type C - 4CD	3.5W	250 lm	2200K	120V	Dim.	E12	6	36	621139400464
 1-50019 LED / DEL - Filament Smoked / Fumée Type A - 1CD	4.5W	450 lm	2200K	120V	Dim.	E26	6	48	621139500195
 1-40017 LED / DEL - Filament Smoked / Fumée Type G25 - 1PK	5W	350 lm	2200K	120V	Dim.	E26	6	36	621139400174
 1-50021 LED / DEL - Filament Smoked / Fumée Type G40 - 1PK	5W	500 lm	2200K	120V	Dim.	E26	4	24	621139500218
 1-50074 LED / DEL - Filament Smoked / Fumée Type G40 - 1PK	7W	280 lm	2200K	120V	Dim.	E26	4	24	621139500744
















VINTAGE / À L'ANCIENNE

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-60079 LED / DEL - Filament Smoked / Fumée Type S - 1CD	5W	450 lm	2200K	120V	Dim.	E26	6	48	621139600796
 1-40050 LED / DEL - Filament Smoked / Fumée Type S - 4PK	5W	400 lm	2200K	120V	Dim.	E26	0	6	621139400501
 1-40054 LED / DEL - Filament Smoked / Fumée Type S14 - 2CD	3W	200 lm	2200K	120V	Dim.	E26	6	60	621139400549
 1-40047 LED / DEL - Filament Smoked / Fumée Type T30 - 1CD	5W	250 lm	2200K	120V	Dim.	E26	6	48	621139400471
 1-40048 LED / DEL - Filament Smoked / Fumée Type T30 - 1CD	8W	350 lm	2200K	120V	Dim.	E26	6	48	621139400488
 1-50077 LED / DEL - Filament Smoked / Fumée Type C - 1CD	5.5W	250 lm	5000K	120V	Dim.	E12	6	60	621139500775
 1-50078 LED / DEL - Filament Smoked / Fumée Type A - 1CD	5W	250 lm	5000K	120V	Dim.	E26	6	48	621139500782
 1-50079 LED / DEL - Filament Smoked / Fumée Type S - 1CD	5W	250 lm	5000K	120V	Dim.	E26	6	48	621139500799

COLORED / COULEURS

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-50004 LED / DEL - Type A19 Blue / Bleu - 1CD	5W	N/A	N/A	120V	Non dim.	E26	6	36	621139500041
 1-50005 LED / DEL - Type A19 Red / Rouge - 1CD	5W	N/A	N/A	120V	Non dim.	E26	6	36	621139500058
 1-50006 LED / DEL - Type A19 Green / Vert - 1CD	5W	N/A	N/A	120V	Non dim.	E26	6	36	621139500065
 1-50007 LED / DEL - Type A19 Yellow / Jaune - 1CD	5W	N/A	N/A	120V	Non dim.	E26	6	36	621139500072
 1-50027 LED / DEL - PAR38 Blue / Bleu - 1PK	7W	N/A	N/A	120V	Non dim.	E26	4	24	621139500270
 1-50028 LED / DEL - PAR38 Red / Rouge - 1PK	5W	N/A	N/A	120V	Non dim.	E26	4	24	621139500287
 1-50029 LED / DEL - PAR38 Green / Vert - 1PK	7W	N/A	N/A	120V	Non dim.	E26	4	24	621139500294
 1-50047 LED / DEL - PAR38 Yellow / Jaune - 1PK	7W	N/A	N/A	120V	Non dim.	E26	4	24	621139500478





TYPE PAR

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-40064 LED / DEL Type PAR16 - 2PK	6W	500 lm	3000K	120V	Dim.	E26	6	48	621139400648
 1-50008 LED / DEL Type PAR20 - 1PK	7W	500 lm	3000K	120V	Dim.	E26	6	48	621139500089 
 1-50009 LED / DEL Type PAR20 - 1PK	7W	500 lm	5000K	120V	Dim.	E26	6	48	621139500096 
 1-50035 LED / DEL Type PAR20 - 2PK	7W	500 lm	3000K	120V	Dim.	E26	6	24	621139500355 
 1-50036 LED / DEL Type PAR20 - 2PK	7W	500 lm	5000K	120V	Dim.	E26	6	24	621139500362 
 1-50010 LED / DEL Type PAR30 - 1PK	11W	800 lm	3000K	120V	Dim.	E26	6	24	621139500102 
 1-50011 LED / DEL Type PAR30 - 1PK	11W	800 lm	5000K	120V	Dim.	E26	6	24	621139500119 






LED BULBS / AMPOULES DEL

TYPE PAR

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC	
 <p>1-50012 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur</p>	18.5W	1400 lm	3000K	120V	Dim.	E26	6	24	621139500126	
 <p>1-50013 LED / DEL Type PAR38 - 1PK Indoor / Outdoor Intérieur / Extérieur</p>	18.5W	1400 lm	5000K	120V	Dim.	E26	6	24	621139500133	



MR11 / MR16 / GU10















 <p>1-60099 LED / DEL Type MR11 - 1CD</p>	3W	220 lm	3000K	12V	Non dim.	GU4 Bi-pin	6	60	621139600994	
 <p>1-50045 LED / DEL - COB Type MR16 - 1CD</p>	7W	500 lm	3000K	12V	Dim.	GU5.3 Bi-pin	6	48	621139500454	

LED BULBS / AMPOULES DEL



MR11 / MR16 / GU10

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC	
 <p>1-50046 LED / DEL - JDR Type MR16 - 1CD</p>	7W	500 lm	3000K	120V	Dim.	E26	6	48	621139500461	
 <p>1-40080 LED / DEL Type GU10 - 1CD</p>	7W	500 lm	3000K	120V	Dim.	GU10	6	48	621139400808	
 <p>1-40081 LED / DEL Type GU10 - 1CD</p>	7W	500 lm	5000K	120V	Dim.	GU10	6	48	621139400815	
 <p>1-40073 LED / DEL Type GU10 - 1PK</p>	7W	500 lm	3000K	120V	Dim.	GU10	10	100	621139400730	
 <p>1-40074 LED / DEL Type GU10 - 1PK</p>	7W	500 lm	5000K	120V	Dim.	GU10	10	100	621139400747	
 <p>1-40015 LED / DEL Type GU10 - 4PK</p>	7W	500 lm	3000K	120V	Dim.	GU10	12	36	621139400150	
 <p>1-40016 LED / DEL Type GU10 - 4PK</p>	7W	500 lm	5000K	120V	Dim.	GU10	12	36	621139400167	
 <p>1-50032 LED / DEL Type GU10 - 4CD Glass / Verre</p>	5W	400 lm	3000K	120V	Dim.	GU10	6	36	621139500324	

TYPE R / BR

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-50048 LED / DEL Type R14 - 1CD	4.5W	300 lm	3000K	120V	Dim.	E26	6	60	621139500485
 1-60098 LED / DEL Type R16 - 1CD	5.5W	400 lm	3000K	120V	Dim.	E26	6	48	621139600987 
 1-40026 LED / DEL Type R16 - 1CD	5.5W	400 lm	5000K	120V	Dim.	E26	6	48	621139400266 
 1-60088 LED / DEL Type BR20 - 1PK	6.5W	460 lm	3000K	120V	Dim.	E26	6	48	621139600888 
 1-60089 LED / DEL Type BR30 - 1PK	9.5W	670 lm	3000K	120V	Dim.	E26	4	24	621139600895 
 1-50040 LED / DEL Type BR30 - 1PK	9.5W	670 lm	5000K	120V	Dim.	E26	4	24	621139500409 
 1-50037 LED / DEL Type BR30 - 4PK	9.5W	670 lm	3000K	120V	Dim.	E26	4	12	621139500379 
 1-40065 LED / DEL Type BR40 - 1PK	18W	1500 lm	3000K	120V	Dim.	E26	4	12	621139400655

SPECIALTY / SPÉCIALITÉ

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-40023 LED / DEL Growing plant light Ampoule de croissance Type A - 1PK	10W	N/A	N/A	120V	Non dim.	E26	6	48	621139400235
 1-40024 LED / DEL Growing plant light Ampoule de croissance Type PAR38 - 1PK	12W	N/A	N/A	120V	Non dim.	E26	6	24	621139400242







Of all the colors contained inside the visible light spectrum, plants are most responsive to the energy contained inside red and blue wavelengths. Both types of energy play vital roles within plant photosynthesis processes where light energy is absorbed and converted into carbohydrate materials. These carbohydrate materials are then converted into food for the plant.

De toutes les couleurs contenues dans le spectre de lumière visibles, les plantes sont les plus sensibles à l'énergie contenue dans les longueurs d'onde rouges et bleues. Les deux types d'énergie jouent un rôle vital dans les processus de photosynthèse des plantes. Ces matières glucidiques sont ensuite transformées en nourriture pour la plante.



LED BULBS / AMPOULES DEL








SPECIALTY / SPÉCIALITÉ

Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 1-60075 LED / DEL Type G4 - 1CD	1.8W	150 lm	3000K	12V	Non dim.	G4	6	60	621139600758
 1-50064 LED / DEL Type G9 - 1CD	5W	500 lm	3000K	120V	Dim.	G9	6	60	621139500645
 1-50065 LED / DEL Type G9 - 1CD	5W	500 lm	6000K	120V	Dim.	G9	6	60	621139500652
 1-40051 LED / DEL Type G9 - 4CD	4.5W	450 lm	3000K	120V	Dim.	G9	6	60	621139400518
 1-40052 LED / DEL Type G9 - 4CD	4.5W	450 lm	6000K	120V	Dim.	G9	6	60	621139400525
 1-50062 LED / DEL Type B6 - 2CD	4W	350 lm	3000K	120V	Dim.	E12	6	60	621139500621



LED BULBS / AMPOULES DEL

SPECIALTY / SPÉCIALITÉ

Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 1-40062 LED / DEL R7S - 78 mm Type J - 1CD	8W	800 lm	5000K	120V	Dim.	R7S	6	60	621139400624
 1-40063 LED / DEL R7S - 118 mm Type J - 1CD	15W	1500 lm	5000K	120V	Dim.	R7S	6	60	621139400631
 1-40025 LED / DEL 3 way / 3 intensités Type A19 - 1PK	9W	800 lm	5000K	120V	Non dim.	E26	6	48	621139400259
 1-50061 LED / DEL Closet light / Lumière pour placard - 1PK	11W	800 lm	4000K	120V	Dim.	E26	6	24	621139500614
 1-60001 LED / DEL Night light / Veilleuse White / Blanc - 2CD	1W	3.6 lm	4100K	120V	Non dim.	E12	10	100	621139600017
 1-60002 LED / DEL Night light / Veilleuse Clear / Claire - 2CD	1W	3.9 lm	4100K	120V	Non dim.	E12	10	100	621139600024
 1-00830 LED / DEL Flame effect Effet de flamme - 1PK	2W	N/A	1800K	120V	Non dim.	E26	8	64	621139008301


LED BULBS / AMPOULES DEL

SMART BULB / AMPOULE INTELLIGENTE

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-50084 LED / DEL - Wi-Fi Tunable white Luminosité ajustable Type A19 - 2PK</p>	10W	800 lm	2700K to/à 6500K	120V	Dim.	E26	4	24	621139500843
 <p>1-50085 LED / DEL - Wi-Fi Color changing & Tunable white Couleurs ajustable et Luminosité ajustable Type A19 - 2PK</p>	10W	800 lm	RGB + 2700K to/à 6500K	120V	Dim.	E26	4	24	621139500850
 <p>1-50086 LED / DEL - Wi-Fi Tunable white Luminosité ajustable Type BR30 - 1PK</p>	10W	650 lm	2700K to/à 6500K	120V	Dim.	E26	4	24	621139500867
 <p>1-50076 LED / DEL - Wi-Fi Color changing & Tunable white Couleurs ajustable et Luminosité ajustable Type BR30 - 1PK</p>	10W	650 lm	RGB + 2700K to/à 6500K	120V	Dim.	E26	4	24	621139500768
 <p>1-50075 LED / DEL - Wi-Fi Color changing & Tunable white Couleurs ajustable et Luminosité ajustable Type BR30 - 4PK</p>	10W	650 lm	RGB + 2700K to/à 6500K	120V	Dim.	E26	4	12	621139500751

LED BULBS / AMPOULES DEL

SMART BULB / AMPOULE INTELLIGENTE

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-50089 LED / DEL Motion Detector Détecteur de mouvement Type PAR38 - 1PK</p>	10W	750 lm	5000K	120V	Non dim.	E26	6	24	621139500898



T8 LED TUBE / T8 TUBE DEL

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
<p>1-69910 LED / DEL Type T8 Tube 4' - 1PK (Direct - Ballast Non Compatible)</p>	22W	2200 lm	6500K	120V	Non dim.	G13	0	12	621139699103









CFL / AFC



CFL BULBS / AMPOULES AFC

T2 SPIRAL / SPIRALE T2

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-60200 CFL / AFC Type T2 - 2PK	9W	540 lm	2700K	120V	Non dim.	E26	0	8	621139602004
 1-60201 CFL / AFC Type T2 - 2PK	13W	900 lm	2700K	120V	Non dim.	E26	0	8	621139602011
 1-60202 CFL / AFC Type T2 - 2PK	23W	1600 lm	2700K	120V	Non dim.	E26	0	8	621139602028
 1-60210 CFL / AFC Type T2 - 2PK	9W	540 lm	4100K	120V	Non dim.	E26	0	8	621139602103
 1-60211 CFL / AFC Type T2 - 2PK	13W	900 lm	4100K	120V	Non dim.	E26	0	8	621139602110
 1-60212 CFL / AFC Type T2 - 2PK	23W	1520 lm	4100K	120V	Non dim.	E26	0	8	621139602127
 1-60220 CFL / AFC Type T2 - 2PK	9W	540 lm	5000K	120V	Non dim.	E26	0	8	621139602202
 1-60223 CFL / AFC Type T2 - 2PK	13W	900 lm	5000K	120V	Non dim.	E26	0	8	621139602233
 1-60222 CFL / AFC Type T2 - 2PK	23W	1520 lm	5000K	120V	Non dim.	E26	0	8	621139602226



CFL BULBS / AMPOULES AFC

T2 SPIRAL / SPIRALE T2

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-60401 CFL / AFC Type T2 - 4PK	13W	900 lm	2700K	120V	Non dim.	E26	0	6	621139604015
 1-60402 CFL / AFC Type T2 - 4PK	23W	1600 lm	2700K	120V	Non dim.	E26	0	6	621139604022
 1-60411 CFL / AFC Type T2 - 4PK	13W	900 lm	4100K	120V	Non dim.	E26	0	6	621139604114
 1-60412 CFL / AFC Type T2 - 4PK	23W	1520 lm	4100K	120V	Non dim.	E26	0	6	621139604121
 1-60423 CFL / AFC Type T2 - 4PK	13W	900 lm	5000K	120V	Non dim.	E26	0	6	621139604237
 1-60422 CFL / AFC Type T2 - 4PK	23W	1520 lm	5000K	120V	Non dim.	E26	0	6	621139604220
 1-60107 CFL / AFC Type T2 - 1PK	13W	900 lm	2700K	120V	Non dim.	GU24	0	8	621139601076






CFL BULBS / AMPOULES AFC

T4 & T5 SPIRAL / SPIRALE

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-60101 CFL / AFC Type T4 - 1PK	40W	2650 lm	4100K	120V	Non dim.	E26	0	4	621139601014
 1-60102 CFL / AFC Type T5 - 1PK	65W	4000 lm	4100K	120V	Non dim.	E26	0	4	621139601021





COLOR SPIRAL / SPIRALE COULEUR




 1-60123 CFL / AFC Bug light / Anti-insecte Yellow / Jaune Type T2 - 1PK	13W	N/A	N/A	120V	Non dim.	E26	8	48	621139601236
 1-60111 CFL / AFC Blue / Bleu Type T2 - 1PK	13W	N/A	N/A	120V	Non dim.	E26	8	48	621139601113
 1-60112 CFL / AFC Green / vert Type T2 - 1PK	13W	N/A	N/A	120V	Non dim.	E26	8	48	621139601120
 1-60113 CFL / AFC Red / Rouge Type T2 - 1PK	13W	N/A	N/A	120V	Non dim.	E26	8	48	621139601137
 1-60110 CFL / AFC Black light/ Ultra-violet Type T2 - 1PK	13W	N/A	N/A	120V	Non dim.	E26	8	48	621139601106

CFL BULBS / AMPOULES AFC


TYPE A19

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-60109 CFL / AFC Type A19 - 1PK	14W	800 lm	2700K	120V	Non dim.	E26	0	6	621139601090 



TYPE PAR

 1-60103 CFL / AFC Type PAR20 - 1PK	9W	330 lm	4100K	120V	Non dim.	E26	0	6	621139601038
 1-60104 CFL / AFC Type PAR30 - 1PK	15W	630 lm	4100K	120V	Non dim.	E26	0	4	621139601045
 1-60105 CFL / AFC Type PAR38 - 1PK	23W	1070 lm	4100K	120V	Non dim.	E26	0	4	621139601052

TYPE R30





 1-60722 CFL / AFC Type R30 - 2PK	15W	750 lm	2700K	120V	Non dim.	E26	0	4	621139607221
---------------------------------------------------------------------------------------------------------------------------	-----	--------	-------	------	----------	-----	---	---	--------------

PL13 / 2U

 1-60199 CFL / AFC Type PL13 - 1CD	13W	825 lm	4100K	120V	Non dim.	Bi-pin	6	36	621139601991
 1-00831 CFL / AFC - Full spectrum / Spectre complet Type 2U-1PK	13W	800 lm	6400K	120V	Non dim.	4-pin	6	36	621139008318

CFL BULBS / AMPOULES AFC

FLUO. TUBE

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-69906 CFL / AFC 48" - T8 Tube (4') Fluo triphosphore - 2PK	32W	3050 lm	4100K	120V	Non dim.	G13	0	12	621139699066
 1-69907 CFL / AFC 48" - T8 Tube (4') Fluo triphosphore - 2PK	32W	2900 lm	5000K	120V	Non dim.	G13	0	12	621139699073
 1-69908 CFL / AFC 48" - T8 Tube (4') Fluo triphosphore - 2PK	32W	2900 lm	6500K	120V	Non dim.	G13	0	12	621139699080
 1-63090 CFL / AFC 18" - T8 Tube (1.5') Black light / Ultra-violet Fluo - 1CD	15W	N/A	N/A	120V	Non dim.	G13	6	24	621139630908



INCANDESCENT

Bulbs







Ampoules

INCANDESCENTES



INCAN. BULBS / AMPOULES INCAN.

A15 - APPLIANCE / APPAREIL

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 <p>1-63041 INCAN. Bulbs / Ampo. Clear / Claire Type A15 - 1CD</p>	40W	320 lm	2700K	130V	Dim.	E26	6	60	621139630410
 <p>1-63115 INCAN. Bulbs / Ampo. Clear / Claire Type A15 - 2CD</p>	40W	320 lm	2700K	130V	Dim.	E26	6	60	621139631158
 <p>1-63043 INCAN. Bulbs / Ampo. Clear / Claire Type A15 - 1CD</p>	60W	550 lm	2700K	130V	Dim.	E26	6	60	621139630434
 <p>1-63113 INCAN. Bulbs / Ampo. Clear / Claire Type A15 - 2CD</p>	60W	550 lm	2700K	130V	Dim.	E26	6	60	621139631134
 <p>1-63042 INCAN. Bulbs / Ampo. Frosted / Givrée Type A15 - 1CD</p>	40W	320 lm	2700K	130V	Dim.	E26	6	60	621139630427
 <p>1-63101 INCAN. Bulbs / Ampo. Clear-Fan/Claire-Venti. Type A15 - 2CD</p>	40W	320 lm	2700K	130V	Dim.	E26	6	36	621139631011

INCAN. BULBS / AMPOULES INCAN.

TYPE A19

	Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
	1-63901 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK	40W	300 lm	2700K	130V	Dim.	E26	0	24	621139639017
	1-63902 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK	60W	560 lm	2700K	130V	Dim.	E26	0	24	621139639024
	1-63903 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK	100W	1020 lm	2700K	130V	Dim.	E26	0	24	621139639031
	1-63905 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK	40W	290 lm	2700K	130V	Dim.	E26	0	24	621139639055
	1-63906 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK	60W	550 lm	2700K	130V	Dim.	E26	0	24	621139639062
	1-63907 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK	100W	1000 lm	2700K	130V	Dim.	E26	0	24	621139639079
	1-63979 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 4PK	40W	290 lm	2700K	130V	Dim.	E26	0	12	621139639796
	1-63980 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 4PK	60W	550 lm	2700K	130V	Dim.	E26	0	12	621139639802

INCAN. BULBS / AMPOULES INCAN.

TYPE A19

	Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
	1-63908 INCAN. Bulbs / Ampo. Soft white / Blanc doux Type A19 - 2PK	40W	290 lm	2700K	130V	Dim.	E26	0	12	621139639086
	1-63909 INCAN. Bulbs / Ampo. Soft white / Blanc doux Type A19 - 2PK	60W	550 lm	2700K	130V	Dim.	E26	0	12	621139639093
	1-63910 INCAN. Bulbs / Ampo. Soft white / Blanc doux Type A19 - 2PK	100W	1000 lm	2700K	130V	Dim.	E26	0	12	621139639109
	1-63991 INCAN. Bulbs / Ampo. Soft white / Blanc doux Type A19 - 4PK	40W	290 lm	2700K	130V	Dim.	E26	0	12	621139639918
	1-63992 INCAN. Bulbs / Ampo. Soft white / Blanc doux Type A19 - 4PK	60W	550 lm	2700K	130V	Dim.	E26	0	12	621139639925



INCAN. BULBS / AMPOULES INCAN.

A19 LONG LIFE / LONGUE VIE

Product / Produit	Watts	Lumens	K	⚡	🕒	📏	Inner	Master	UPC
 1-63911 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK	40W	250 lm	2700K	130V	Dim.	E26	0	12	621139639116
 1-63912 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 2PK	60W	480 lm	2700K	130V	Dim.	E26	0	12	621139639123
 1-64265 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 6PK	40W	250 lm	2700K	130V	Dim.	E26	0	6	621139642659
 1-64266 INCAN. Bulbs / Ampo. Frosted / Givrée Type A19 - 6PK	60W	480 lm	2700K	130V	Dim.	E26	0	6	621139642666
 1-63914 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK	40W	260 lm	2700K	130V	Dim.	E26	0	12	621139639147
 1-63915 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 2PK	60W	490 lm	2700K	130V	Dim.	E26	0	12	621139639154
 1-64276 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 6PK	40W	260 lm	2700K	130V	Dim.	E26	0	6	621139642765
 1-64277 INCAN. Bulbs / Ampo. Clear / Claire Type A19 - 6PK	60W	490 lm	2700K	130V	Dim.	E26	0	6	621139642772

INCAN. BULBS / AMPOULES INCAN.

A19 COLOR / COULEUR

Product / Produit	Watts	Lumens	K	⚡	🕒	📏	Inner	Master	UPC
 1-63011 INCAN. Bulbs / Ampo. Party / Festivité Blue / Bleu Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	621139630113
 1-63012 INCAN. Bulbs / Ampo. Party / Festivité Green / Vert Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	621139630120
 1-63013 INCAN. Bulbs / Ampo. Party / Festivité Red / Rouge Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	621139630137
 1-63014 INCAN. Bulbs / Ampo. Party / Festivité Amber / Ambre Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	621139630144
 1-63015 INCAN. Bulbs / Ampo. Party / Festivité Yellow / Jaune Type A19 - 1PK	60W	N/A	N/A	130V	Dim.	E26	6	60	621139630151
 1-63006 INCAN. Bulbs / Ampo. Party / Festivité Black light / Ultra-violet Type A19 - 1PK	75W	N/A	N/A	130V	Dim.	E26	6	60	621139630069
 1-63005 INCAN. Bulbs / Ampo. Bug light / Anti insecte Yellow / Jaune Type A19 - 2PK	60W	N/A	N/A	130V	Dim.	E26	0	12	621139630052

INCAN. BULBS / AMPOULES INCAN.

S14 COLOR / COULEUR






Product / Produit	Watts	Lumens	K	⚡	⦿	⦶	Inner	Master	UPC
 1-63052 INCAN. Bulbs / Ampo. Sign light / Enseigne Clear / Claire Type S14 - 1PK	11W	50 lm	2700K	130V	Dim.	E26	12	120	621139630526
 1-63053 INCAN. Bulbs / Ampo. Sign light / Enseigne Frosted / Givrée Type S14 - 1PK	11W	45 lm	2700K	130V	Dim.	E26	12	120	621139630533
 1-63054 INCAN. Bulbs / Ampo. Sign light / Enseigne Amber / Ambre Type S14 - 1PK	11W	N/A	N/A	130V	Dim.	E26	12	120	621139630540
 1-63055 INCAN. Bulbs / Ampo. Sign light / Enseigne Green / Vert Type S14 - 1PK	11W	N/A	N/A	130V	Dim.	E26	12	120	621139630557
 1-63056 INCAN. Bulbs / Ampo. Sign light / Enseigne Blue / Bleu Type S14 - 1PK	11W	N/A	N/A	130V	Dim.	E26	12	120	621139630564
 1-63057 INCAN. Bulbs / Ampo. Sign light / Enseigne Red / Rouge Type S14 - 1PK	11W	N/A	N/A	130V	Dim.	E26	12	120	621139630571
 1-63058 INCAN. Bulbs / Ampo. Sign light / Enseigne Yellow / Jaune Type S14 - 1PK	11W	N/A	N/A	130V	Dim.	E26	12	120	621139630588

INCAN. BULBS / AMPOULES INCAN.

TYPE A21 / A23

Product / Produit	Watts	Lumens	K	⚡	⦿	⦶	Inner	Master	UPC
 1-63039 INCAN. Bulbs / Ampo. Tri-light / 3 intensité Type A21 - 1PK	50W 100W 150W	520 lm 1230 lm 1750 lm	2700K	120V	Dim.	E26	0	12	621139630397
 1-63084 INCAN. Bulbs / Ampo. Clear / Claire Type A23 - 1PK	200W	2650 lm	2700K	130V	Dim.	E26	0	12	621139630847
 1-63082 INCAN. Bulbs / Ampo. Frosted / Givrée Type A23 - 1PK	200W	2605 lm	2700K	130V	Dim.	E26	0	12	621139630823

TYPE R12 / R14 / R16

 1-63075 Spot light / Faisceau étroit - White / Blanc Type R12 - 1CD	25W	170 lm	2700K	120V	Dim.	E17	10	100	621139630755
 1-63076 Spot light / Faisceau étroit - White / Blanc Type R12 - 1CD	30W	190 lm	2700K	120V	Dim.	E17	10	100	621139630762
 1-63077 Accent / D'appoint White / Blanc Type R14 - 1CD	25W	170 lm	2700K	120V	Dim.	E17	10	100	621139630779
 1-63080 Accent / D'appoint White / Blanc Type R14 - 1CD	40W	280 lm	2700K	120V	Dim.	E17	10	100	621139630809
 1-63078 Accent / D'appoint White / Blanc Type R14 - 1CD	40W	280 lm	2700K	120V	Dim.	E26	10	100	621139630786

INCAN. BULBS / AMPOULES INCAN.

TYPE R12 / R14 / R16

	Product / Produit	Watts	Lumens	K	⚡	🌀	📏	Inner	Master	UPC
	1-63045 Spot light / Faisceau étroit - White / Blanc Type R16 - 1CD	40W	330 lm	2700K	120V	Dim.	E26	6	60	621139630458
	1-63044 Spot light / Faisceau étroit - White / Blanc Type R16 - 1CD	60W	510 lm	2700K	120V	Dim.	E26	6	60	621139630441
	1-63086 Spot light / Faisceau étroit - White / Blanc Type R16 - 2PK	40W	330 lm	2700K	120V	Dim.	E26	12	72	621139630861
	1-63085 Spot light / Faisceau étroit - White / Blanc Type R16 - 2PK	60W	510 lm	2700K	120V	Dim.	E26	12	72	621139630854

TYPE BR30

	1-63087 Flood light / Faisceau large - White / Blanc Type BR30 - 1PK	65W	580 lm	2700K	130V	Dim.	E26	6	36	621139630878
	1-63102 Flood light / Faisceau large - White / Blanc Type BR30 - 2PK	65W	580 lm	2700K	130V	Dim.	E26	6	24	621139631028
	1-63088 Flood light / Faisceau large - White / Blanc Type BR30 - 6PK	65W	580 lm	2700K	130V	Dim.	E26	0	3	621139630885







INCAN. BULBS / AMPOULES INCAN.

TYPE S11



	Product / Produit	Watts	Lumens	K	⚡	🌀	📏	Inner	Master	UPC
	1-63019 High intensity / Haute intensité - Clear / Claire Type S11 - 1CD	25W	170 lm	2700K	130V	Dim.	E17	10	100	621139630199
	1-63020 High intensity / Haute intensité - Clear / Claire Type S11 - 1CD	40W	360 lm	2700K	130V	Dim.	E17	10	100	621139630205
	1-63061 Indicator / Indication Green / Vert Type S11 - 1CD	7.5W	N/A	N/A	130V	Dim.	E26	10	100	621139630618
	1-63062 Indicator / Indication Blue / Bleu Type S11 - 1CD	7.5W	N/A	N/A	130V	Dim.	E26	10	100	621139630625
	1-63064 Indicator / Indication Clear / Claire Type S11 - 1CD	7.5W	25 lm	2700K	120V	Dim.	E26	10	100	621139630649
	1-63065 Indicator / Indication White / Blanc Type S11 - 1CD	7.5W	23 lm	2700K	120V	Dim.	E26	10	100	621139630656
	1-63067 Indicator / Indication Red / Rouge Type S11 - 1CD	7.5W	N/A	N/A	130V	Dim.	E26	10	100	621139630670
	1-63069 Indicator / Indication Yellow / Jaune Type S11 - 1CD	7.5W	N/A	N/A	130V	Dim.	E26	10	100	621139630694

INCAN. BULBS / AMPOULES INCAN.

TYPE G16.5





Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-63046 Vanity / Vanité Clear / Claire Type G16.5 - 2CD	25W	170 lm	2700K	130V	Dim.	E12	10	100	621139630465
 1-63047 Vanity / Vanité Clear / Claire Type G16.5 - 2CD	40W	360 lm	2700K	130V	Dim.	E12	10	100	621139630472
 1-63048 Vanity / Vanité Clear / Claire Type G16.5 - 2CD	60W	600 lm	2700K	130V	Dim.	E12	10	100	621139630489
 1-63049 Vanity / Vanité White / Blanc Type G16.5 - 2CD	25W	150 lm	2700K	130V	Dim.	E12	10	100	621139630496
 1-63050 Vanity / Vanité White / Blanc Type G16.5 - 2CD	40W	320 lm	2700K	130V	Dim.	E12	10	100	621139630502
 1-63051 Vanity / Vanité White / Blanc Type G16.5 - 2CD	60W	550 lm	2700K	130V	Dim.	E12	10	100	621139630519

TYPE G25

 1-63001 Vanity / Vanité Clear / Claire Type G25 - 1PK	40W	360 lm	2700K	130V	Dim.	E26	6	72	621139630014
 1-63002 Vanity / Vanité Clear / Claire Type G25 - 1PK	60W	600 lm	2700K	130V	Dim.	E26	6	72	621139630021

INCAN. BULBS / AMPOULES INCAN.



TYPE G25

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-63003 Vanity / Vanité White / Blanc Type G25 - 1PK	40W	320 lm	2700K	130V	Dim.	E26	6	72	621139630038
 1-63004 Vanity / Vanité White / Blanc Type G25 - 1PK	60W	550 lm	2700K	130V	Dim.	E26	6	72	621139630045
 1-63111 Vanity / Vanité White / Blanc Type G25 - 3PK	40W	320 lm	2700K	130V	Dim.	E26	6	24	621139631110
 1-63112 Vanity / Vanité White / Blanc Type G25 - 3PK	60W	550 lm	2700K	130V	Dim.	E26	6	24	621139631127



INCAN. BULBS / AMPOULES INCAN.


TYPE C7

Product / Produit	Watts	Lumens	K	⚡	🌙	📏	Inner	Master	UPC
 1-63009 Night light / Veilleuse Clear / Claire Type C7 - 2CD	4W	14 lm	2700K	130V	Dim.	E12	10	100	621139630090
 1-63007 Night light / Veilleuse Clear / Claire Type C7 - 2CD	7W	22 lm	2700K	130V	Dim.	E12	10	100	621139630076
 1-63010 Night light / Veilleuse White / Blanc Type C7 - 2CD	4W	10 lm	2700K	130V	Dim.	E12	10	100	621139630106
 1-63008 Night light / Veilleuse White / Blanc Type C7 - 2CD	7W	20 lm	2700K	130V	Dim.	E12	10	100	621139630083
 1-63098 Night light / Veilleuse Clear / Claire Type C7 - 3CD	7W	22 lm	2700K	130V	Dim.	E12	10	100	621139630984
 1-63099 Night light / Veilleuse White / Blanc Type C7 - 3CD	7W	20 lm	2700K	130V	Dim.	E12	10	100	621139630991





INCAN. BULBS / AMPOULES INCAN.


TYPE T6

Product / Produit	Watts	Lumens	K	⚡	🌙	📏	Inner	Master	UPC
 1-63070 Exit sign / Enseigne sortie - Clear / Claire Type T6 - 1CD	15W	90 lm	2700K	145V	Dim.	E12	10	100	621139630700



TYPE T7

 1-63071 Appliance / Électro. Clear / Claire Type T7 - 1CD	15W	90 lm	2700K	130V	Dim.	E12	10	100	621139630717
 1-63072 Appliance / Électro. Clear / Claire Type T7 - 1CD	15W	90 lm	2700K	130V	Dim.	E17	10	100	621139630724

TYPE T8


 1-63073 Appliance / Électro. Clear / Claire Type T8 - 1CD	25W	170 lm	2700K	130V	Dim.	E12	10	100	621139630731
----------------------------------------------------------------------------------------------------------------------------------------------------------	-----	--------	-------	------	------	-----	----	-----	--------------

TYPE T10


 1-63016 Tubular / Tubulaire Clear / Claire Type T10 - 1CD	25W	160 lm	2700K	120V	Dim.	E26	10	100	621139630168
 1-63017 Tubular / Tubulaire Clear / Claire Type T10 - 1CD	40W	280 lm	2700K	120V	Dim.	E26	10	100	621139630175

INCAN. BULBS / AMPOULES INCAN.

TYPE B8 / B9



Product / Produit	Watts	Lumens	K	⚡	🌀	📏	Inner	Master	UPC
 1-63027 Chandelier - Type B8 Clear / Claire - 2CD	15W	100 lm	2700K	120V	Dim.	E12	10	100	621139630274
 1-63028 Chandelier - Type B8 Clear / Claire - 2CD	25W	160 lm	2700K	120V	Dim.	E12	10	100	621139630281
 1-63035 Chandelier - Type B9 Clear / Claire - 2CD	25W	170 lm	2700K	130V	Dim.	E14	10	100	621139630359
 1-63036 Chandelier - Type B9 Clear / Claire - 2CD	40W	360 lm	2700K	130V	Dim.	E14	10	100	621139630366
 1-63037 Chandelier - Type B9 Clear / Claire - 2CD	60W	600 lm	2700K	130V	Dim.	E14	10	100	621139630373

TYPE B10








 1-63029 Chandelier - Type B10 Clear / Claire - 2CD	25W	170 lm	2700K	130V	Dim.	E12	10	100	621139630298
 1-63030 Chandelier - Type B10 Clear / Claire - 2CD	40W	360 lm	2700K	130V	Dim.	E12	10	100	621139630304
 1-63031 Chandelier - Type B10 Clear / Claire - 2CD	60W	600 lm	2700K	130V	Dim.	E12	10	100	621139630311
 1-63032 Chandelier - Type B10 Frosted / Givrée - 2CD	25W	170 lm	2700K	130V	Dim.	E12	10	100	621139630328

INCAN. BULBS / AMPOULES INCAN.


TYPE B10

Product / Produit	Watts	Lumens	K	⚡	🌀	📏	Inner	Master	UPC
 1-63033 Chandelier - Type B10 Frosted / Givrée - 2CD	40W	360 lm	2700K	130V	Dim.	E12	10	100	621139630335
 1-63034 Chandelier - Type B10 Frosted / Givrée - 2CD	60W	600 lm	2700K	130V	Dim.	E12	10	100	621139630342

TYPE B11

 1-63021 Chandelier - Type B11 Clear / Claire - 2CD	25W	170 lm	2700K	120V	Dim.	E26	10	100	621139630212
 1-63022 Chandelier - Type B11 Clear / Claire - 2CD	40W	360 lm	2700K	120V	Dim.	E26	10	100	621139630229
 1-63023 Chandelier - Type B11 Clear / Claire - 2CD	60W	600 lm	2700K	120V	Dim.	E26	10	100	621139630236
 1-63100 Chandelier - Type B11 Fan / Ventilateur Clear / Claire - 2CD	40W	360 lm	2700K	120V	Dim.	E26	10	100	621139631004
 1-63024 Chandelier - Type B11 Frosted / Givrée - 2CD	25W	170 lm	2700K	120V	Dim.	E26	10	100	621139630243
 1-63025 Chandelier - Type B11 Frosted / Givrée - 2CD	40W	360 lm	2700K	120V	Dim.	E26	10	100	621139630250
 1-63026 Chandelier - Type B11 Frosted / Givrée - 2CD	60W	600 lm	2700K	120V	Dim.	E26	10	100	621139630267

HALOGEN HALOGÈNE








HALOGEN BULBS / AMP. HALOGÈNE

MR16 - GU10

	Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
	1-62028 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	50W	700 lm	2700K	120V	Dim.	GU10	6	60	621139620282
	1-62003 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 2CD	20W	190 lm	2700K	120V	Dim.	GU10	6	60	621139620039
	1-62005 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 2CD	35W	400 lm	2700K	120V	Dim.	GU10	6	60	621139620053
	1-62006 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 2CD	50W	700 lm	2700K	120V	Dim.	GU10	6	60	621139620060
	1-62007 Cool beam - Glass cover / Faisceau frais Couvercle verre Type MR16 - 2CD	50W	400 lm	2700K	120V	Dim.	GU10	6	60	621139620077
	1-62063 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 3PK	50W	700 lm	2700K	120V	Dim.	GU10	6	48	621139620633
	1-62064 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 4PK	50W	700 lm	2700K	120V	Dim.	GU10	6	48	621139620640
	1-62068 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 8PK	50W	700 lm	2700K	120V	Dim.	GU10	4	24	621139620688



HALOGEN BULBS / AMP. HALOGÈNE

MR16 - GU5.3 BI-PIN

Product / Produit	Watts	Lumens	K	⚡	🕒	📏	Inner	Master	UPC
 1-62022 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	20W	260 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	621139620220
 1-62013 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	35W	500 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	621139620138
 1-62024 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 1CD	50W	825 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	621139620244
 1-62078 Flood light - No glass cover / Faisceau large Pas de couvercle verre Type MR16 - 2CD	50W	825 lm	2700K	12V	Dim.	GU5.3 Bi-pin	6	60	621139620787
 1-62053 Flood light - Glass cover / Faisceau large Couvercle verre Type MR16 - 3PK	50W	825 lm	2700K	12V	Dim.	GU5.3 Bi-pin	10	100	621139620534

HALOGEN BULBS / AMP. HALOGÈNE




MR11 - GU4 BI-PIN

Product / Produit	Watts	Lumens	K	⚡	🕒	📏	Inner	Master	UPC
 1-62026 Flood light - Glass cover / Faisceau large Couvercle verre Type MR11 - 2CD	20W	330 lm	2700K	12V	Dim.	GU4 Bi-pin	10	100	621139620268
 1-62027 Flood light - Glass cover / Faisceau large Couvercle verre Type MR11 - 2CD	35W	635 lm	2700K	12V	Dim.	GU4 Bi-pin	10	100	621139620275






HALOGEN BULBS / AMP. HALOGÈNE


T3 JCD - G4 BI-PIN

Product / Produit	Watts	Lumens	K	⚡	🌀	📏	Inner	Master	UPC
 1-62016 Clear / Claire Type T3 JCD - 2CD	10W	105 lm	2700K	12V	Dim.	G4 Bi-pin	10	100	621139620169
 1-62018 Clear / Claire Type T3 JCD - 1CD	20W	260 lm	2700K	12V	Dim.	G4 Bi-pin	10	100	621139620183
 1-62040 Clear / Claire Type T3 JCD - 2CD	20W	260 lm	2700K	12V	Dim.	G4 Bi-pin	10	100	621139620404

T4 JCD - GY6.35 BI-PIN





 1-62019 Clear / Claire Type T4 JCD - 1CD	50W	825 lm	2700K	12V	Dim.	GY6.35 Bi-pin	10	100	621139620190
 1-62020 Clear / Claire Type T4 JCD - 2CD	35W	500 lm	2700K	12V	Dim.	GY6.35 Bi-pin	10	100	621139620206
 1-62041 Clear / Claire Type T4 JCD - 2CD	50W	825 lm	2700K	12V	Dim.	GY6.35 Bi-pin	10	100	621139620411

T4 JCD - G9

 1-62083 Clear / Claire Type T4 JCD - 1CD	20W	205 lm	2700K	120V	Dim.	G9	10	100	621139620831
 1-62014 Clear / Claire Type T4 JCD - 1CD	25W	250 lm	2700K	120V	Dim.	G9	10	100	621139620145
 1-62009 Clear / Claire Type T4 JCD - 1CD	35W	350 lm	2700K	120V	Dim.	G9	10	100	621139620091
 1-62010 Frosted / Givrée Type T4 JCD - 1CD	35W	350 lm	2700K	120V	Dim.	G9	10	100	621139620107

HALOGEN BULBS / AMP. HALOGÈNE

T4 JCD - G9

Product / Produit	Watts	Lumens	K	⚡	🌀	📏	Inner	Master	UPC
 1-62000 Clear / Claire Type T4 JCD - 1CD	40W	400 lm	2700K	120V	Dim.	G9	10	100	621139620008
 1-62001 Clear / Claire Type T4 JCD - 4CD	40W	400 lm	2700K	120V	Dim.	G9	10	100	621139620015
 1-62021 Clear / Claire Type T4 JCD - 1CD	50W	550 lm	2700K	120V	Dim.	G9	10	100	621139620213
 1-62011 Clear / Claire Type T4 JCD - 1CD	60W	700 lm	2700K	120V	Dim.	G9	10	100	621139620114

T3 JCD - RSC (78 MM)

 1-62038 Clear / Claire Type T3 JCD - 1CD	75W	500 lm	2700K	130V	Dim.	RSC	10	100	621139620381
 1-62035 Clear / Claire Type T3 JCD - 1CD	100W	1057 lm	2700K	130V	Dim.	RSC	10	100	621139620350
 1-62079 Clear / Claire Type T3 JCD - 2CD	100W	1057 lm	2700K	130V	Dim.	RSC	10	100	621139620794
 1-62032 Clear / Claire Type T3 JCD - 1CD	150W	1800 lm	2700K	130V	Dim.	RSC	10	100	621139620329
 1-62080 Clear / Claire Type T3 JCD - 2CD	150W	1800 lm	2700K	130V	Dim.	RSC	10	100	621139620800
 1-62030 Clear / Claire Type T3 JCD - 1CD	200W	1950 lm	2700K	130V	Dim.	RSC	10	100	621139620305
 1-62037 Clear / Claire Type T3 JCD - 1CD	250W	3000 lm	2700K	130V	Dim.	RSC	10	100	621139620374

T3 JCD - RSC (118 MM)

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
1-62033 Clear / Claire Type T3 JCD - 1CD	100W	725 lm	2700K	130V	Dim.	RSC	10	100	621139620336
1-62031 Clear / Claire Type T3 JCD - 1CD	150W	1650 lm	2700K	130V	Dim.	RSC	10	100	621139620312
1-62029 Clear / Claire Type T3 JCD - 1CD	200W	2500 lm	2700K	130V	Dim.	RSC	10	100	621139620299
1-62034 Clear / Claire Type T3 JCD - 1CD	300W	4505 lm	2700K	130V	Dim.	RSC	10	100	621139620343
1-62081 Clear / Claire Type T3 JCD - 2CD	300W	4505 lm	2700K	130V	Dim.	RSC	10	100	621139620817
1-62036 Clear / Claire Type T3 JCD - 1CD	500W	8050 lm	2700K	130V	Dim.	RSC	10	100	621139620367
1-62082 Clear / Claire Type T3 JCD - 2CD	500W	8050 lm	2700K	130V	Dim.	RSC	10	100	621139620824



TYPE PAR20

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
1-65415 Flood light/Faisc. large Type PAR20 - 1PK	50W	700 lm	2700K	120V	Dim.	E26	6	24	621139654157
1-65515 Flood light/Faisc. large Type PAR20 - 1PK	50W	700 lm	2700K	130V	Dim.	E26	6	24	621139655154
1-62415 Flood light/Faisc. large Type PAR20 - 2PK	50W	700 lm	2700K	130V	Dim.	E26	6	24	621139624150
1-62074 Flood light/Faisc. large Type PAR20 - 4PK	50W	700 lm	2700K	130V	Dim.	E26	3	12	621139620749
1-62076 Flood light/Faisc. large Type PAR20 - 6PK	50W	700 lm	2700K	130V	Dim.	E26	0	4	621139620763



TYPE PAR30 / PAR38

1-63095 Long neck/Cou allongé Type PAR30 - 1PK	50W	700 lm	2700K	120V	Dim.	E26	6	24	621139630953
1-63096 Short neck/Cou court Type PAR30 - 1PK	75W	1025 lm	2700K	120V	Dim.	E26	6	24	621139630960
1-63097 Long neck/Cou allongé Type PAR30 - 1PK	75W	1025 lm	2700K	120V	Dim.	E26	6	24	621139630977
1-63094 Flood light/Faisc. large Type PAR38 - 1PK	90W	1700 lm	2700K	120V	Dim.	E26	6	24	621139630946










HALOGEN ECO HALOGÈNES ÉCO





HALOGEN BULBS / AMP. HALOGÈNE

TYPE A19




Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-64051 Halogen / Halogène Clear / Claire Type A19 - 2PK	29W	380 lm	2700K	120V	Dim.	E26	6	48	621139640518
 1-64052 Halogen / Halogène Clear / Claire Type A19 - 2PK	43W	750 lm	2700K	120V	Dim.	E26	6	48	621139640525
 1-64053 Halogen / Halogène Clear / Claire Type A19 - 2PK	72W	1490 lm	2700K	120V	Dim.	E26	6	48	621139640532
 1-64054 Halogen / Halogène Soft white/Blanc doux Type A19 - 2PK	29W	360 lm	2700K	120V	Dim.	E26	6	48	621139640549
 1-64055 Halogen / Halogène Soft white/Blanc doux Type A19 - 2PK	43W	710 lm	2700K	120V	Dim.	E26	6	48	621139640556
 1-64056 Halogen / Halogène Soft white/Blanc doux Type A19 - 2PK	72W	1400 lm	2700K	120V	Dim.	E26	6	48	621139640563
 1-64078 Halogen / Halogène Soft white/Blanc doux Type A19 - 4PK	29W	360 lm	2700K	120V	Dim.	E26	4	24	621139640785

HALOGEN BULBS / AMP. HALOGÈNE

TYPE B11

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-64061 Halogen / Halogène Clear/Claire - Chandel. Type B11 - 2PK	29W	380 lm	2700K	120V	Dim.	E26	6	60	621139640617
 1-64062 Halogen / Halogène Clear/Claire - Chandel. Type B11 - 2PK	43W	750 lm	2700K	120V	Dim.	E26	6	60	621139640624

TYPE G16.5

 1-64063 Halogen / Halogène Clear / Claire Type G16.5 - 2PK	29W	380 lm	2700K	120V	Dim.	E12	6	60	621139640631
 1-64064 Halogen / Halogène Clear / Claire Type G16.5 - 2PK	43W	750 lm	2700K	120V	Dim.	E12	6	60	621139640648
 1-64065 Halogen / Halogène Soft white/Blanc doux Type G16.5 - 2PK	29W	360 lm	2700K	120V	Dim.	E12	6	60	621139640655

HALOGEN BULBS / AMP. HALOGÈNE

TYPE G25

Product / Produit	Watts	Lumens	K	⚡	🕒	🏠	Inner	Master	UPC
 1-64067 Halogen / Halogène Clear / Claire Type G25 - 2PK	29W	380 lm	2700K	120V	Dim.	E26	6	24	621139640679
 1-64069 Halogen / Halogène Soft white/Blanc doux Type G25 - 2PK	29W	360 lm	2700K	120V	Dim.	E26	6	24	621139640693









OLD FASHIONED À L'ANCIENNE



OLD FASHIONED / AMP. À L'ANCIENNE

VINTAGE / À L'ANCIENNE

Product / Produit	Watts	Lumens	K	⚡	🌀	🏠	Inner	Master	UPC
 <p>1-63105 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type A - 1PK</p>	60W	240 lm	N/A	120V	Dim.	E26	6	48	621139631059
 <p>1-63106 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type S - 1PK</p>	60W	220 lm	N/A	120V	Dim.	E26	6	48	621139631066
 <p>1-63107 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type G - 1PK</p>	60W	200 lm	N/A	120V	Dim.	E26	6	48	621139631073
 <p>1-63108 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type T - 1PK</p>	60W	200 lm	N/A	120V	Dim.	E26	6	96	621139631080
 <p>1-63109 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type B - 1PK</p>	60W	200 lm	N/A	120V	Dim.	E26	6	96	621139631097
 <p>1-63110 Old fashioned bulb Amp. à l'ancienne Smoked / Fumée Type CA - 2PK</p>	25W	125 lm	N/A	120V	Dim.	E12	6	96	621139631103

SODIUM & MERCURY

SODIUM ET MERCURE



SODIUM & MERCURY / MERCURE

HID / DHI

Product / Produit	Watts	Lumens	K	⚡	⦿	⚡	Inner	Master	UPC
 <p>1-63091 High pressure sodium Sodium à haute pression - Clear / Clair Type HPS - 1PK</p>	70W	6000 lm	2000K	120V	N/A	E26	6	12	621139630915
 <p>1-63092 High pressure sodium Sodium à haute pression - Clear / Clair Type HPS - 1PK</p>	150W	15000 lm	2000K	120V	N/A	Mogul E40	6	12	621139630922
 <p>1-63093 Mercury vapor bulb Amp. à vapeur de mercure - Clear / Clair Type MV - 1PK</p>	175W	8000 lm	6000K	120V	N/A	Mogul E40	6	12	621139630939





CATALOGUE D'AMPOULES BULBS CATALOG

2021

Les industries
Jessar
industries inc.

341 Allée Du Golf
St-Eustache, Québec
Canada J7R 0L5

Tel : 450 472 0280
Fax: 450 472 1280

E-mail: info@jessar.ca
www.jessar.ca

July 2021